



pears.IQXNetEmailDetails



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

This is the Maintaince > IQXWeb Settings > Email Details information

Columns

Column	Type	Null	Default	Comment
IQXNetEmailDetailsID	char(20)	NOT NULL		
WebAddress	char(100)	NULL		
AgencyName	char(100)	NULL		
EmailRoot	char(100)	NULL		
SMTPHost	char(100)	NULL		
SMTPUserID	char(50)	NULL		
SMTPPassword	char(200)	NULL		
SMTPSenderAddress	char(50)	NULL		
SMTPPort	integer	NULL		
SMTPTLS	tinyint	NULL		
DefaultUserPassword	char(50)	NULL		
WebSiteFolder	char(100)	NULL		

Primary Key

- IQXNetEmailDetailsID

Foreign Keys

- No outgoing foreign keys found.

Referenced By



Table	Constraint	Columns	Referenced columns
pears.agencydetails	IQXNetEmailDetails	IQXNetEmailDetailsID	IQXNetEmailDetailsID
pears.Department	IQXNetEmailDetails	IQXNetEmailDetailsID	IQXNetEmailDetailsID
pears.Division	IQXNetEmailDetails	IQXNetEmailDetailsID	IQXNetEmailDetailsID
pears.NotificationTemplate	IQXNetEmailDetails	IQXNetEmailDetailsID	IQXNetEmailDetailsID
pears.staff	IQXNetEmailDetails	IQXNetEmailDetailsID	IQXNetEmailDetailsID
pears.tempdesk	IQXNetEmailDetails	IQXNetEmailDetailsID	IQXNetEmailDetailsID

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXNetEmailDetails"
-- Table comment: This is the Maintaince > IQXWeb Settings > Email Details
information
-- Statement count: 2
```

```
CREATE TABLE "pears"."IQXNetEmailDetails" (
  "IQXNetEmailDetailsID"          CHAR(20) NOT NULL
, "WebAddress"                    CHAR(100) NULL
, "AgencyName"                   CHAR(100) NULL
, "EmailRoot"                     CHAR(100) NULL
, "SMTPHost"                      CHAR(100) NULL
, "SMTPUserID"                   CHAR(50) NULL
, "SMTPPassword"                  CHAR(200) NULL
, "SMTPSenderAddress"             CHAR(50) NULL
, "SMTPPort"                      INTEGER NULL
, "SMTPTLS"                       tinyint NULL
, "DefaultUserPassword"           CHAR(50) NULL
, "WebSiteFolder"                 CHAR(100) NULL
, PRIMARY KEY ("IQXNetEmailDetailsID" ASC)
)
GO
```



COMMENT ON TABLE "pears"."IQXNetEmailDetails" IS
'This is the Maintaine > IQXWeb Settings > Email Details information'
GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxnetemaildetails

Last update: **2026/08/07 19:24**

