



pears.IQXNetNotificationCascade



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

If original staff member does not respond who should the message cascade to

Columns

Column	Type	Null	Default	Comment
CascadeType	char(20)	NOT NULL		
DiaryID	char(20)	NOT NULL		
WhenCascaded	timestamp	NULL	current timestamp	
Address	char(100)	NULL		

Primary Key

- CascadeType, DiaryID

Foreign Keys

Constraint	Columns	References	Delete/update action
Diary	DiaryID	pears.diary (diaryid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXNetNotificationCascade"
-- Table comment: If original staff member does not respond who should the
message cascade to
-- Statement count: 3

CREATE TABLE "pears"."IQXNetNotificationCascade" (
    "CascadeType"          CHAR(20) NOT NULL
    , "DiaryID"             CHAR(20) NOT NULL
    , "WhenCascaded"        TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
    , "Address"             CHAR(100) NULL
    , PRIMARY KEY ("CascadeType" ASC, "DiaryID" ASC)
)
GO

COMMENT ON TABLE "pears"."IQXNetNotificationCascade" IS
    'If original staff member does not respond who should the message
cascade to'
GO

ALTER TABLE "pears"."IQXNetNotificationCascade"
    ADD NOT NULL FOREIGN KEY "Diary" ("DiaryID" ASC)
    REFERENCES "pears"."diary" ("diaryid")
    ON DELETE CASCADE
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxnetnotificationcascade

Last update: **2026/08/07 19:24**

