



pears.IQXNetPageText



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Used to store the pagetext and their values

Columns

Column	Type	Null	Default	Comment
IQXNetPageTextID	char(50)	NOT NULL		
PageText	long varchar	NULL		
UpdatedFlag	tinyint	NULL		
TransferFlag	tinyint	NULL		

Primary Key

- IQXNetPageTextID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
IQXNetPageTextInsert	before	insert order 1
IQXNetPageTextUpdate	before	update of "PageText" order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXNetPageText"
-- Table comment: Used to store the pagetext and their values
-- Statement count: 6

CREATE TABLE "pears"."IQXNetPageText" (
    "IQXNetPageTextID"          CHAR(50) NOT NULL
    ,"PageText"                  long VARCHAR NULL
    ,"UpdatedFlag"               tinyint NULL
    ,"TransferFlag"              tinyint NULL
    ,PRIMARY KEY ("IQXNetPageTextID" ASC)
)
GO

COMMENT ON TABLE "pears"."IQXNetPageText" IS
    'Used to store the pagetext and their values'
GO

CREATE TRIGGER "IQXNetPageTextInsert" BEFORE INSERT ORDER 1 ON
"pears"."IQXNetPageText"
REFERENCING NEW AS "new_page"
FOR each ROW
BEGIN
    SET "new_page"."UpdatedFlag" = 1
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."IQXNetPageText"."IQXNetPageTextInsert" IS
{CREATE TRIGGER IQXNetPageTextInsert
    BEFORE INSERT ORDER 1 ON
IQXNetPageText
REFERENCING NEW AS new_page
FOR each ROW
```



```
BEGIN
  SET new_page.UpdatedFlag=1
END
}
GO

CREATE TRIGGER "IQXNetPageTextUpdate" BEFORE UPDATE OF "PageText"
ORDER 1 ON "pears"."IQXNetPageText"
REFERENCING NEW AS "new_page"
FOR each ROW
BEGIN
  SET "new_page"."UpdatedFlag" = 1
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."IQXNetPageText"."IQXNetPageTextUpdate" IS
{CREATE TRIGGER IQXNetPageTextUpdate
  BEFORE UPDATE OF PageText
ORDER 1 ON IQXNetPageText
REFERENCING NEW AS new_page
FOR each ROW
BEGIN
  SET new_page.UpdatedFlag=1
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxnetpagetext

Last update: **2026/08/07 19:24**

