



pears.IQXNetTagGroupMember



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

The Questions that go into the above groups

Columns

Column	Type	Null	Default	Comment
IQXNetTagGroupID	char(20)	NOT NULL		
TagLocation	char(3)	NOT NULL		
TagID	char(3)	NOT NULL		
SortOrder	integer	NULL		
Description	char(100)	NULL		Null indicates use tag description
Required	smallint	NULL		Null indicates take default from tag table
ReadOnly	smallint	NULL		Allows readonly fields mixed with editable in a tag group

Primary Key

- IQXNetTagGroupID, TagLocation, TagID

Foreign Keys

Constraint	Columns	References	Delete/update action
IQXNetTagGroup	IQXNetTagGroupID	pears.IQXNetTagGroup (IQXNetTagGroupID)	NOT NULL; ON DELETE CASCADE
tag	TagLocation, TagID	pears.tag (taglocation, tagid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXNetTagGroupMember"
-- Table comment: The Questions that go into the above groups
-- Statement count: 7

CREATE TABLE "pears"."IQXNetTagGroupMember" (
    "IQXNetTagGroupID"          CHAR(20) NOT NULL
    , "TagLocation"              CHAR(3)  NOT NULL
    , "TagID"                    CHAR(3)  NOT NULL
    , "SortOrder"                INTEGER NULL
    , "Description"              CHAR(100) NULL
    , "Required"                 SMALLINT NULL
    , "ReadOnly"                 SMALLINT NULL
    , PRIMARY KEY ("IQXNetTagGroupID" ASC, "TagLocation" ASC, "TagID" ASC)
)
GO

COMMENT ON COLUMN "pears"."IQXNetTagGroupMember"."Description" IS
    'Null indicates use tag description'
GO

COMMENT ON COLUMN "pears"."IQXNetTagGroupMember"."Required" IS
    'Null indicates take default from tag table'
GO

COMMENT ON COLUMN "pears"."IQXNetTagGroupMember"."ReadOnly" IS
    'Allows readonly fields mixed with editable in a tag group'
GO
```



```
COMMENT ON TABLE "pears"."IQXNetTagGroupMember" IS  
    'The Questions that go into the above groups'
```

```
GO
```

```
ALTER TABLE "pears"."IQXNetTagGroupMember"  
    ADD NOT NULL FOREIGN KEY "IQXNetTagGroup" ("IQXNetTagGroupID" ASC)  
    REFERENCES "pears"."IQXNetTagGroup" ("IQXNetTagGroupID")  
    ON DELETE CASCADE
```

```
GO
```

```
ALTER TABLE "pears"."IQXNetTagGroupMember"  
    ADD NOT NULL FOREIGN KEY "tag" ("TagLocation" ASC,"TagID" ASC)  
    REFERENCES "pears"."tag" ("taglocation","tagid")  
    ON DELETE CASCADE
```

```
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxnettaggroupmember

Last update: **2026/08/07 19:24**

