



pears.IQXNetYoti



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
IQXNetYotiID	char(20)	NOT NULL		
URLRequestCode	char(20)	NOT NULL		
PersonID	char(20)	NULL		
WhenRequested	timestamp	NOT NULL	current timestamp	
sessionID	char(50)	NULL		Yoti Session ID after completing a yoti session
ID_DOCUMENT_AUTHENTICITY	char(50)	NULL		ID_DOCUMENT_AUTHENTICITY check recommendation
ID_DOCUMENT_TEXT_DATA_CHECK	char(50)	NULL		ID_DOCUMENT_TEXT_DATA_CHECK check recommendation
LIVENESS	char(50)	NULL		LIVENESS check recommendation
ID_DOCUMENT_FACE_MATCH	char(50)	NULL		ID_DOCUMENT_FACE_MATCH check recommendation
THIRD_PARTY_IDENTITY	char(50)	NULL		THIRD_PARTY_IDENTITY check recommendation
WATCHLIST_SCREENING	char(50)	NULL		WATCHLIST_SCREENING check recommendation
WATCHLIST_ADVANCED_CA	char(50)	NULL		When the results have come back from yoti
CandidateCompleted	timestamp	NULL		
YotiCompleted	timestamp	NULL		
RightToWork	smallint	NULL		Requirements met field from the yoti report
WhenSent	timestamp	NULL		

Primary Key

- IQXNetYotiID



Foreign Keys

Constraint	Columns	References	Delete/update action
Person	PersonID	pears.Person (personid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXNetYoti"
-- Table comment:
-- Statement count: 11

CREATE TABLE "pears"."IQXNetYoti" (
    "IQXNetYotiID"          CHAR(20) NOT NULL
    , "URLRequestCode"      CHAR(20) NOT NULL
    , "PersonID"            CHAR(20) NULL
    , "WhenRequested"       TIMESTAMP NOT NULL DEFAULT CURRENT
TIMESTAMP
    , "sessionID"           CHAR(50) NULL
    , "ID_DOCUMENT_AUTHENTICITY" CHAR(50) NULL
    , "ID_DOCUMENT_TEXT_DATA_CHECK" CHAR(50) NULL
    , "LIVENESS"            CHAR(50) NULL
    , "ID_DOCUMENT_FACE_MATCH" CHAR(50) NULL
    , "THIRD_PARTY_IDENTITY" CHAR(50) NULL
    , "WATCHLIST_SCREENING" CHAR(50) NULL
    , "WATCHLIST_ADVANCED_CA" CHAR(50) NULL
    , "CandidateCompleted"   TIMESTAMP NULL
    , "YotiCompleted"       TIMESTAMP NULL
    , "RightToWork"          SMALLINT NULL
)
```



```
, "WhenSent"                                TIMESTAMP NULL
, PRIMARY KEY ("IQXNetYotiID" ASC)
)
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."sessionID" IS
'Yoti Session ID after completing a yoti session'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."ID_DOCUMENT_AUTHENTICITY" IS
'ID_DOCUMENT_AUTHENTICITY check recommendation'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."ID_DOCUMENT_TEXT_DATA_CHECK" IS
'ID_DOCUMENT_TEXT_DATA_CHECK check recommendation'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."LIVENESS" IS
'LIVENESS check recommendation'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."ID_DOCUMENT_FACE_MATCH" IS
'ID_DOCUMENT_FACE_MATCH check recommendation'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."THIRD_PARTY_IDENTITY" IS
'THIRD_PARTY_IDENTITY check recommendation'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."WATCHLIST_SCREENING" IS
'WATCHLIST_SCREENING check recommendation'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."WATCHLIST_ADVANCED_CA" IS
'When the results have come back from yoti'
GO

COMMENT ON COLUMN "pears"."IQXNetYoti"."RightToWork" IS
'Requirements met field from the yoti report'
```



G0

```
ALTER TABLE "pears"."IQXNetYoti"  
  ADD FOREIGN KEY "Person" ("PersonID" ASC)  
  REFERENCES "pears"."Person" ("personid")  
  ON DELETE CASCADE
```

G0

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxnetyoti

Last update: **2026/08/07 19:24**

