



pears.IQXSSOAccount



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
SSOID	char(100)	NOT NULL		Unique SSO identity identifier
IQXNetUserID	char(20)	NOT NULL		User ID linked to this SSO account
SSOType	char(20)	NOT NULL		Type/provider of SSO (e.g., apple, google)
Email	char(100)	NULL		Email address associated with this SSO account
EmailVerified	smallint	NULL		Flag for whether the email is verified (1 = yes, 0 = no)
AccessToken	long varchar	NULL		Short-lived token from the SSO provider
RefreshToken	long varchar	NULL		Refresh token to renew access
Exp	integer	NULL		Expiration timestamp for the access token (Unix time)

Primary Key

- SSOID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
IQXSSOAccountSSOTypeIQXNetUserID	Unique index	SSOType, IQXNetUserID	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXSSOAccount"
-- Table comment:
-- Statement count: 10

CREATE TABLE "pears"."IQXSSOAccount" (
    "SSOID"                CHAR(100) NOT NULL
    , "IQXNetUserID"        CHAR(20) NOT NULL
    , "SSOType"             CHAR(20) NOT NULL
    , "Email"               CHAR(100) NULL
    , "EmailVerified"       SMALLINT NULL
    , "AccessToken"         long VARCHAR NULL
    , "RefreshToken"        long VARCHAR NULL
    , "Exp"                 INTEGER NULL
    , PRIMARY KEY ("SSOID" ASC)
)
GO

COMMENT ON COLUMN "pears"."IQXSSOAccount"."SSOID" IS
    'Unique SSO identity identifier'
GO

COMMENT ON COLUMN "pears"."IQXSSOAccount"."IQXNetUserID" IS
    'User ID linked to this SSO account'
GO

COMMENT ON COLUMN "pears"."IQXSSOAccount"."SSOType" IS
    'Type/provider of SSO (e.g., apple, google)'
GO

COMMENT ON COLUMN "pears"."IQXSSOAccount"."Email" IS
    'Email address associated with this SSO account'
GO
```



```
COMMENT ON COLUMN "pears"."IQXSSOAccount"."EmailVerified" IS  
    'Flag for whether the email is verified (1 = yes, 0 = no'
```

```
GO
```

```
COMMENT ON COLUMN "pears"."IQXSSOAccount"."AccessToken" IS  
    'Short-lived token from the SSO provider'
```

```
GO
```

```
COMMENT ON COLUMN "pears"."IQXSSOAccount"."RefreshToken" IS  
    'Refresh token to renew access'
```

```
GO
```

```
COMMENT ON COLUMN "pears"."IQXSSOAccount"."Exp" IS  
    'Expiration timestamp for the access token (Unix time)'
```

```
GO
```

```
CREATE UNIQUE INDEX "IQXSSOAccountSSOTypeIQXNetUserID" ON  
"pears"."IQXSSOAccount"  
    ( "SSOType", "IQXNetUserID" )
```

```
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxssaccount

Last update: **2026/08/07 19:24**

