



pears.IXSStatus



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Status of current searches.

Columns

Column	Type	Null	Default	Comment
IXSQueryID	char(20)	NOT NULL		
IXSQueryGroup	char(20)	NULL		For group deletions
Catalog	char(100)	NULL		
Scope	char(250)	NULL		
Query	char(250)	NULL		
QueryTime	timestamp	NULL	current timestamp	
Status	smallint	NULL	0	0=newly added, Positive=successfully completed, Negative=completed with error

Primary Key

- IXSQueryID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.IXSResult	IXSStatus	IXSQueryID	IXSQueryID



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IXSStatus"
-- Table comment: Status of current searches.
-- Statement count: 4

CREATE TABLE "pears"."IXSStatus" (
    "IXSQueryID"                CHAR(20) NOT NULL
    , "IXSQueryGroup"            CHAR(20) NULL
    , "Catalog"                  CHAR(100) NULL
    , "Scope"                    CHAR(250) NULL
    , "Query"                    CHAR(250) NULL
    , "QueryTime"                TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
    , "Status"                    SMALLINT NULL DEFAULT 0
    , PRIMARY KEY ("IXSQueryID" ASC)
)
GO

COMMENT ON COLUMN "pears"."IXSStatus"."IXSQueryGroup" IS
    'For group deletions'
GO

COMMENT ON COLUMN "pears"."IXSStatus"."Status" IS
    '0=newly added, Positive=successfully completed, Negative=completed with
error'
GO

COMMENT ON TABLE "pears"."IXSStatus" IS
    'Status of current searches.'
```



G0

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_ixsstatus

Last update: **2026/08/07 19:24**

