



pears.LeaveClasses



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Contains list of types of leave (eg paid holiday - maternity leave etc) recorded in WeEmployLeave table.

Columns

Column	Type	Null	Default	Comment
LeaveClass	char(6)	NOT NULL		Leave Class code
Description	char(30)	NOT NULL		Leave Class Description

Primary Key

- LeaveClass

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."LeaveClasses"
-- Table comment: Contains list of types of leave (eg paid holiday -
-- maternity leave etc) recorded in WeEmployLeave table.
-- Statement count: 4

CREATE TABLE "pears"."LeaveClasses" (
    "LeaveClass"                CHAR(6) NOT NULL
    ,"Description"              CHAR(30) NOT NULL
    ,PRIMARY KEY ("LeaveClass" ASC)
)
GO

COMMENT ON COLUMN "pears"."LeaveClasses"."LeaveClass" IS
    'Leave Class code'
GO

COMMENT ON COLUMN "pears"."LeaveClasses"."Description" IS
    'Leave Class Description'
GO

COMMENT ON TABLE "pears"."LeaveClasses" IS
    'Contains list of types of leave (eg paid holiday - maternity leave etc)
    recorded in WeEmployLeave table.'
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_leaveclasses

Last update: **2026/08/07 19:24**

