



pears.MasterRoster



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Header records for each Master Roster

Columns

Column	Type	Null	Default	Comment
MasterRosterID	char(20)	NOT NULL		
VacancyID	char(20)	NOT NULL		
Description	char(100)	NULL		
Notes	long varchar	NULL		
DaysInCycle	smallint	NOT NULL	7	
ReviewDate	date	NULL		
StartDate	date	NULL		
Status	char(1)	NOT NULL	1	1=Planning L=Live P=Paused T=Terminated
UseOnlyPreferred	tinyint	NOT NULL	0	

Primary Key

- MasterRosterID

Foreign Keys

Constraint	Columns	References	Delete/update action
Vacancy	VacancyID	pears.vacancy (vacancyid)	NOT NULL; ON DELETE CASCADE

Referenced By

Table	Constraint	Columns	Referenced columns
pears.MasterRosterChangeLog	MasterRoster	MasterRosterID	MasterRosterID
pears.MasterRosterPreferredPerson	MasterRoster	MasterRosterID	MasterRosterID
pears.MasterRosterShift	MasterRoster	MasterRosterID	MasterRosterID



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."MasterRoster"
-- Table comment: Header records for each Master Roster
-- Statement count: 4

CREATE TABLE "pears"."MasterRoster" (
    "MasterRosterID"          CHAR(20) NOT NULL
    , "VacancyID"              CHAR(20) NOT NULL
    , "Description"            CHAR(100) NULL
    , "Notes"                  long VARCHAR NULL
    , "DaysInCycle"            SMALLINT NOT NULL DEFAULT 7
    , "ReviewDate"             DATE NULL
    , "StartDate"              DATE NULL
    , "Status"                 CHAR(1) NOT NULL DEFAULT 1
    , "UseOnlyPreferred"       tinyint NOT NULL DEFAULT 0
    , PRIMARY KEY ("MasterRosterID" ASC)
)
GO

COMMENT ON COLUMN "pears"."MasterRoster"."Status" IS
    '1=Planning L=Live P=Paused T=Terminated'
GO

COMMENT ON TABLE "pears"."MasterRoster" IS
    'Header records for each Master Roster'
GO

ALTER TABLE "pears"."MasterRoster"
    ADD NOT NULL FOREIGN KEY "Vacancy" ("VacancyID" ASC)
    REFERENCES "pears"."vacancy" ("vacancyid")
```



ON DELETE CASCADE

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_masterroster

Last update: **2026/08/07 19:24**

