



pears.NominalSegmentDivision



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
NominalSegmentID	char(20)	NOT NULL		
DivisionID	char(20)	NOT NULL		

Primary Key

- NominalSegmentID, DivisionID

Foreign Keys

Constraint	Columns	References	Delete/update action
Division	DivisionID	pears.Division (divisionid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
```



```
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."NominalSegmentDivision"
-- Table comment:
-- Statement count: 2

CREATE TABLE "pears"."NominalSegmentDivision" (
    "NominalSegmentID"          CHAR(20) NOT NULL
    ,"DivisionID"                CHAR(20) NOT NULL
    ,PRIMARY KEY ("NominalSegmentID" ASC,"DivisionID" ASC)
)
GO

ALTER TABLE "pears"."NominalSegmentDivision"
    ADD NOT NULL FOREIGN KEY "Division" ("DivisionID" ASC)
    REFERENCES "pears"."Division" ("divisionid")
    ON DELETE CASCADE
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_nominalsegmentdivision

Last update: 2026/08/07 19:24

