



pears.Origin



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Sources of different object types - Candidate - Client - Vacancy

Columns

Column	Type	Null	Default	Comment
OriginID	char(20)	NOT NULL		
descrip	char(40)	NOT NULL		
type	char(1)	NOT NULL		V=vacancy,P=person,C=company only allowed
sortorder	smallint	NULL		
Defunct	tinyint	NULL	0	
PublishToWeb	tinyint	NULL	0	

Primary Key

- OriginID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.Company	origin	OriginID	OriginID
pears.OriginDivision	origin	OriginID	OriginID
pears.Person	origin	OriginID	OriginID
pears.vacancy	origin	OriginID	OriginID



Indexes

Name	Type	Columns	Detail
Origin_sortorder	Index	sortorder	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."Origin"
-- Table comment: Sources of different object types - Candidate - Client - Vacancy
-- Statement count: 4
```

```
CREATE TABLE "pears"."Origin" (
    "OriginID"                CHAR(20) NOT NULL
    , "descrip"                CHAR(40) NOT NULL
    , "type"                   CHAR(1) NOT NULL
    , "sortorder"              SMALLINT NULL
    , "Defunct"                tinyint NULL DEFAULT 0
    , "PublishToWeb"           tinyint NULL DEFAULT 0
    , PRIMARY KEY ("OriginID" ASC)
)
GO
```

```
COMMENT ON COLUMN "pears"."Origin"."type" IS
    'V=vacancy,P=person,C=company only allowed'
GO
```

```
COMMENT ON TABLE "pears"."Origin" IS
    'Sources of different object types - Candidate - Client - Vacancy'
GO
```

```
CREATE INDEX "Origin_sortorder" ON "pears"."Origin"
    ( "sortorder" )
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_origin

Last update: **2026/08/07 19:24**

