



pears.params



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

System parameters. Only one record in table.

Columns

Column	Type	Null	Default	Comment
dbid	char(2)	NOT NULL		
whichconsultant	char(1)	NULL		
applicantname	char(20)	NULL		
plapplicantname	char(20)	NULL		
contacteventname	char(20)	NULL		
plcontacteventname	char(20)	NULL		
copersonname	char(20)	NULL		
plcopersonname	char(20)	NULL		
staffname	char(20)	NULL		
plstaffname	char(20)	NULL		
plcompanyname	char(20)	NULL		
plpersonname	char(20)	NULL		
plvacancyname	char(20)	NULL		
str1name	char(20)	NULL		
str2name	char(20)	NULL		
str3name	char(20)	NULL		
str4name	char(20)	NULL		
str5name	char(20)	NULL		
vacancynotesname	char(30)	NULL		
personnotesname	char(30)	NULL		
commissionformula	char(200)	NULL		
vacancyname	char(20)	NULL		
lastvacreference	char(10)	NULL		
companyname	char(20)	NULL		
personname	char(20)	NULL		
jobtitlename	char(20)	NULL		



Column	Type	Null	Default	Comment
pljobtitlename	char(20)	NULL		
branchname	char(20)	NULL		
plbranchname	char(20)	NULL		
blobinfile	smallint	NULL	0	
positioninaddr	smallint	NULL	0	
deptinaddr	smallint	NULL	0	
autoappnumber	smallint	NULL	0	
nextappnumber	integer	NULL		
disallowcontactedits	smallint	NULL	0	
editcontactdays	smallint	NULL	0	
dbname	char(30)	NULL		
tempaiddirectory	char(100)	NULL		
primcontactname	char(20)	NULL		
payrolllocked	smallint	NULL		
availabilityusage	smallint	NULL		
weekonefriday	date	NULL		
currenttempyearnumber	smallint	NULL		
dbupflag	integer	NULL		
lastpayrollnumber	integer	NULL		
readonlycontactoutcomes	smallint	NULL	0	
autovacnumber	smallint	NULL	0	
nextvacnumber	integer	NULL		
CurrentAnalysisPeriod	integer	NULL		
PermCommissionRate	numeric(6,2)	NULL		
NominalSegment1Length	smallint	NULL		
NominalSegment2Length	smallint	NULL		
NominalSegment3Length	smallint	NULL		
NominalSegment4Length	smallint	NULL		
NominalSegment5Length	smallint	NULL		
NominalSegment1Desc	char(12)	NULL		
NominalSegment2Desc	char(12)	NULL		
NominalSegment3Desc	char(12)	NULL		
NominalSegment4Desc	char(12)	NULL		
NominalSegment5Desc	char(12)	NULL		
Temps2000	smallint	NULL		
NextTimeSheetNumber	integer	NULL		
MonthOneOffset	smallint	NULL		
DefaultShiftFrom	time	NULL		
DefaultShiftTo	time	NULL		
RemoveSpacesFromKeynames	smallint	NULL		
LSMAgencyID	integer	NULL		
LastTransferBatch	integer	NULL		



Column	Type	Null	Default	Comment
SendCVContactClass	char(2)	NULL		
autoplacnumber	smallint	NULL	0	
nextplacnumber	integer	NULL		
autopayrollnumber	smallint	NULL	0	
TimeSheetNumberSystem	smallint	NULL	0	0:automatic 1:manual 2:none
LSMPassword	char(10)	NULL		
LSMDirectory	char(50)	NULL		
LSMDeltaPrefix	char(10)	NULL		
LastLSMTransferBatch	integer	NULL		
LastLSMFTPTransferBatch	integer	NULL		
LastLSMEmployee	integer	NULL		
LastLSMClient	integer	NULL		
LastLSMVacancy	integer	NULL		
LastLSMChargerate	integer	NULL		
LastLSMSubsidy	integer	NULL		
P45BlockTimesheets	smallint	NULL	0	
P45UnassignPayrollNumber	smallint	NULL	0	
InternalClientCode	char(12)	NULL		For internal timesheets
AppNumberOnGrid	smallint	NULL	0	
EmailType	smallint	NULL	1	0 MAPI, 1 MAPI with Inbox, 2 OfficeTalk
PayrollType	smallint	NULL	0	0 None, 1 Tempaid, 2 Sage, 9 Other
BACSWeeklyPAYEOnly	smallint	NULL	0	
lastclientcode	integer	NULL		
LastLSMPermInvoice	integer	NULL		
LSMDialup	char(30)	NULL		
LSMDialupUsage	smallint	NULL		
LSMFTPServer	char(50)	NULL		
SendCVProgressStatus	char(1)	NULL		
EmailFax	smallint	NULL	0	
EmailSMS	smallint	NULL	0	
EmailRTF	smallint	NULL	0	
EmailWordSaveDoc	smallint	NULL	0	
EmailFaxAddress	char(50)	NULL		Insert # for the number
EmailSMSAddress	char(50)	NULL		Insert # for the number
EmailFaxSubject	char(50)	NULL		Insert # for the number



Column	Type	Null	Default	Comment
EmailSMSSubject	char(50)	NULL		Insert # for the number
SendEmailContactClass	char(2)	NULL		
SendFaxContactClass	char(2)	NULL		
SendSMSContactClass	char(2)	NULL		
ReceiveEmailContactClass	char(2)	NULL		
FaxHeaderCVText	char(50)	NULL		
FaxHeaderToWord	smallint	NULL		
FaxLetterAsAttachment	smallint	NULL	0	
AllowPlainTextFax	smallint	NULL	0	
EmailStayLoggedIn	smallint	NULL	0	
DialPrefix	char(30)	NULL		
DefaultTaxCode	char(5)	NULL	'BR'	
DefaultNILetter	char(1)	NULL	'A'	
DefaultWeek1Ind	smallint	NULL	1	
BackupDirectory	char(50)	NULL		
CashFriday	smallint	NULL		
PhotoCaptureFile	char(50)	NULL		
MultiCurrency	smallint	NULL		
ReservePayrollToAccounts	smallint	NULL		
DefaultVATExempt	smallint	NULL		
InitialApplicantStatus	char(1)	NULL		
HolidayYearStart	date	NULL		Set to NULL to use individual employment start date
colourDesktop	integer	NULL		
colourCompany	integer	NULL		
colourPerson	integer	NULL		
colourEvent	integer	NULL		
colourVacancy	integer	NULL		
colourProgress	integer	NULL		
colourPlacement	integer	NULL		
colourTemp	integer	NULL		
colourAgency	integer	NULL		
TempMarginActual	smallint	NULL		
DefaultVacancyClass	char(20)	NULL		
MultiTempInvoice	smallint	NULL		
DiaryResolution	smallint	NULL		
DiaryTaskList	smallint	NULL		
EmploymentNoteName	char(20)	NULL		
UseAnalysisPeriods	tinyint	NULL		
PayrollColdFromTemp	tinyint	NULL		



Column	Type	Null	Default	Comment
HomeCurrency	smallint	NULL		In multi-currency environments, all values will be specified in the HOME currency
ClientCodePrefixes	char(50)	NULL		
PayrollCoIDs	char(20)	NULL		
PrefixPayrollNoWithCoID	tinyint	NULL		
OurRefPrefixes	char(50)	NULL		
ReserveMiscToAccounts	tinyint	NULL		
AutoAccountCode	tinyint	NULL		
ForceBankScan	tinyint	NULL		
UseGeneralAvailability	tinyint	NULL		
divisionname	char(20)	NULL		
pldivisionname	char(20)	NULL		
HTTPSMS	smallint	NULL	0	
HTTPSMSRequest	char(200)	NULL		Insert # for the number and ~ for the text
LSMETimesheets	tinyint	NULL		
TimesheetTotalCheckOnlyIfPlan	tinyint	NULL		
TimesheetHoursPaidEqualsCharged	tinyint	NULL		
BlockTaxMethodChangesWhenPayrollNoAssign	tinyint	NULL		
OverrideTimeSheetDates	tinyint	NULL		
NoNIMask	tinyint	NULL		
TimesheetNumberPrefix	char(5)	NULL		
UnitsBeforeRateOnTimesheet	tinyint	NULL		
PersonCurrentStates	char(20)	NULL		
TimesheetShowPlacementElements	tinyint	NULL		
TheirRefAlwaysRequiredOnTimesheets	tinyint	NULL		
AllowVacancyInvoiceAddress	tinyint	NULL		
TimesheetCurrentWeekShiftsOnly	tinyint	NULL		
DefaultVacancyTemp	tinyint	NULL		
UseSecondaryAgencies	tinyint	NULL		
Version2	tinyint	NULL		
SecondaryCascade	tinyint	NULL		
EscalatePopups	tinyint	NULL		
dblicense	long varchar	NULL		
SendHolidayPayToLSM	tinyint	NULL		
noOLEblobwrappers	tinyint	NULL		
NominalSegment1LinkToUser	tinyint	NULL		
NominalSegment2LinkToUser	tinyint	NULL		
NominalSegment3LinkToUser	tinyint	NULL		



Column	Type	Null	Default	Comment
NominalSegment4LinkToUser	tinyint	NULL		
NominalSegment5LinkToUser	tinyint	NULL		
BlobExternalStorage	tinyint	NULL		
BlobExternalRootFolder	char(100)	NULL		
LastAnalysisBatch	integer	NULL		

Primary Key

- dbid

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."params"
-- Table comment: System parameters. Only one record in table.
-- Statement count: 13
```

```
-----
-- Create tables
-----
```



```
CREATE TABLE "pears"."params" (  
  "dbid" CHAR(2) NOT NULL  
  , "whichconsultant" CHAR(1) NULL  
  , "applicantname" CHAR(20) NULL  
  , "plapplicantname" CHAR(20) NULL  
  , "contacteventname" CHAR(20) NULL  
  , "plcontacteventname" CHAR(20) NULL  
  , "copersonname" CHAR(20) NULL  
  , "plcopersonname" CHAR(20) NULL  
  , "staffname" CHAR(20) NULL  
  , "plstaffname" CHAR(20) NULL  
  , "plcompanyname" CHAR(20) NULL  
  , "plpersonname" CHAR(20) NULL  
  , "plvacancyname" CHAR(20) NULL  
  , "str1name" CHAR(20) NULL  
  , "str2name" CHAR(20) NULL  
  , "str3name" CHAR(20) NULL  
  , "str4name" CHAR(20) NULL  
  , "str5name" CHAR(20) NULL  
  , "vacancynotesname" CHAR(30) NULL  
  , "personnotesname" CHAR(30) NULL  
  , "commissionformula" CHAR(200) NULL  
  , "vacancyname" CHAR(20) NULL  
  , "lastvacreference" CHAR(10) NULL  
  , "companyname" CHAR(20) NULL  
  , "personname" CHAR(20) NULL  
  , "jobtitlename" CHAR(20) NULL  
  , "pljobtitlename" CHAR(20) NULL  
  , "branchname" CHAR(20) NULL  
  , "plbranchname" CHAR(20) NULL  
  , "blobinfile" SMALLINT NULL DEFAULT 0  
  , "positioninaddr" SMALLINT NULL DEFAULT 0  
  , "deptinaddr" SMALLINT NULL DEFAULT 0  
  , "autoappnumber" SMALLINT NULL DEFAULT 0  
  , "nextappnumber" INTEGER NULL  
  , "disallowcontactedits" SMALLINT NULL DEFAULT 0  
  , "editcontactdays" SMALLINT NULL DEFAULT 0  
  , "dbname" CHAR(30) NULL  
  , "tempaiddirectory" CHAR(100) NULL  
  , "primcontactname" CHAR(20) NULL  
  , "payrolllocked" SMALLINT NULL  
  , "availabilityusage" SMALLINT NULL  
  , "weekonefriday" DATE NULL  
  , "currenttempeyearnumber" SMALLINT NULL  
  , "dbupflag" INTEGER NULL  
  , "lastpayrollnumber" INTEGER NULL  
  , "readonlycontactoutcomes" SMALLINT NULL DEFAULT 0  
  , "autovacnumber" SMALLINT NULL DEFAULT 0
```



, "nextvacnumber"	INTEGER NULL
, "CurrentAnalysisPeriod"	INTEGER NULL
, "PermCommissionRate"	NUMERIC(6,2) NULL
, "NominalSegment1Length"	SMALLINT NULL
, "NominalSegment2Length"	SMALLINT NULL
, "NominalSegment3Length"	SMALLINT NULL
, "NominalSegment4Length"	SMALLINT NULL
, "NominalSegment5Length"	SMALLINT NULL
, "NominalSegment1Desc"	CHAR(12) NULL
, "NominalSegment2Desc"	CHAR(12) NULL
, "NominalSegment3Desc"	CHAR(12) NULL
, "NominalSegment4Desc"	CHAR(12) NULL
, "NominalSegment5Desc"	CHAR(12) NULL
, "Temps2000"	SMALLINT NULL
, "NextTimeSheetNumber"	INTEGER NULL
, "MonthOneOffset"	SMALLINT NULL
, "DefaultShiftFrom"	TIME NULL
, "DefaultShiftTo"	TIME NULL
, "RemoveSpacesFromKeynames"	SMALLINT NULL
, "LSMAgencyID"	INTEGER NULL
, "LastTransferBatch"	INTEGER NULL
, "SendCVContactClass"	CHAR(2) NULL
, "autoplacnumber"	SMALLINT NULL DEFAULT 0
, "nextplacnumber"	INTEGER NULL
, "autopayrollnumber"	SMALLINT NULL DEFAULT 0
, "TimeSheetNumberSystem"	SMALLINT NULL DEFAULT 0
, "LSMPassword"	CHAR(10) NULL
, "LSMDirectory"	CHAR(50) NULL
, "LSMDeltaPrefix"	CHAR(10) NULL
, "LastLSMTransferBatch"	INTEGER NULL
, "LastLSMFTPTransferBatch"	INTEGER NULL
, "LastLSMEmployee"	INTEGER NULL
, "LastLSMClient"	INTEGER NULL
, "LastLSMVacancy"	INTEGER NULL
, "LastLSMChargerate"	INTEGER NULL
, "LastLSMSubsidy"	INTEGER NULL
, "P45BlockTimesheets"	SMALLINT NULL DEFAULT 0
, "P45UnassignPayrollNumber"	SMALLINT NULL DEFAULT 0
, "InternalClientCode"	CHAR(12) NULL
, "AppNumberOnGrid"	SMALLINT NULL DEFAULT 0
, "EmailType"	SMALLINT NULL DEFAULT 1
, "PayrollType"	SMALLINT NULL DEFAULT 0
, "BACSWeeklyPAYEOnly"	SMALLINT NULL DEFAULT 0
, "lastclientcode"	INTEGER NULL
, "LastLSMPermInvoice"	INTEGER NULL
, "LSMDialup"	CHAR(30) NULL
, "LSMDialupUsage"	SMALLINT NULL
, "LSMFTPServer"	CHAR(50) NULL



```
, "SendCVProgressStatus" CHAR(1) NULL
, "EmailFax" SMALLINT NULL DEFAULT 0
, "EmailSMS" SMALLINT NULL DEFAULT 0
, "EmailRTF" SMALLINT NULL DEFAULT 0
, "EmailWordSaveDoc" SMALLINT NULL DEFAULT 0
, "EmailFaxAddress" CHAR(50) NULL
, "EmailSMSAddress" CHAR(50) NULL
, "EmailFaxSubject" CHAR(50) NULL
, "EmailSMSSubject" CHAR(50) NULL
, "SendEmailContactClass" CHAR(2) NULL
, "SendFaxContactClass" CHAR(2) NULL
, "SendSMSContactClass" CHAR(2) NULL
, "ReceiveEmailContactClass" CHAR(2) NULL
, "FaxHeaderCVText" CHAR(50) NULL
, "FaxHeaderToWord" SMALLINT NULL
, "FaxLetterAsAttachment" SMALLINT NULL DEFAULT 0
, "AllowPlainTextFax" SMALLINT NULL DEFAULT 0
, "EmailStayLoggedIn" SMALLINT NULL DEFAULT 0
, "DialPrefix" CHAR(30) NULL
, "DefaultTaxCode" CHAR(5) NULL DEFAULT 'BR'
, "DefaultNILetter" CHAR(1) NULL DEFAULT 'A'
, "DefaultWeeklInd" SMALLINT NULL DEFAULT 1
, "BackupDirectory" CHAR(50) NULL
, "CashFriday" SMALLINT NULL
, "PhotoCaptureFile" CHAR(50) NULL
, "MultiCurrency" SMALLINT NULL
, "ReservePayrollToAccounts" SMALLINT NULL
, "DefaultVATExempt" SMALLINT NULL
, "InitialApplicantStatus" CHAR(1) NULL
, "HolidayYearStart" DATE NULL
, "colourDesktop" INTEGER NULL
, "colourCompany" INTEGER NULL
, "colourPerson" INTEGER NULL
, "colourEvent" INTEGER NULL
, "colourVacancy" INTEGER NULL
, "colourProgress" INTEGER NULL
, "colourPlacement" INTEGER NULL
, "colourTemp" INTEGER NULL
, "colourAgency" INTEGER NULL
, "TempMarginActual" SMALLINT NULL
, "DefaultVacancyClass" CHAR(20) NULL
, "MultiTempInvoice" SMALLINT NULL
, "DiaryResolution" SMALLINT NULL
, "DiaryTaskList" SMALLINT NULL
, "EmploymentNoteName" CHAR(20) NULL
, "UseAnalysisPeriods" tinyint NULL
, "PayrollCoIDFromTemp" tinyint NULL
, "HomeCurrency" SMALLINT NULL
```



```
, "ClientCodePrefixes"          CHAR(50) NULL
, "PayrollCoIDs"                CHAR(20) NULL
, "PrefixPayrollNoWithCoID"     tinyint NULL
, "OurRefPrefixes"              CHAR(50) NULL
, "ReserveMiscToAccounts"       tinyint NULL
, "AutoAccountCode"             tinyint NULL
, "ForceBankScan"               tinyint NULL
, "UseGeneralAvailability"       tinyint NULL
, "divisionname"                CHAR(20) NULL
, "pldivisionname"              CHAR(20) NULL
, "HTTPSMS"                     SMALLINT NULL DEFAULT 0
, "HTTPSMSRequest"              CHAR(200) NULL
, "LSMETimesheets"              tinyint NULL
, "TimesheetTotalCheckOnlyIfPlan" tinyint NULL
, "TimesheetHoursPaidEqualsCharged" tinyint NULL
, "BlockTaxMethodChangesWhenPayrollNoAssig" tinyint NULL
, "OverrideTimeSheetDates"      tinyint NULL
, "NoNIMask"                     tinyint NULL
, "TimesheetNumberPrefix"       CHAR(5) NULL
, "UnitsBeforeRateOnTimesheet"  tinyint NULL
, "PersonCurrentStates"         CHAR(20) NULL
, "TimesheetShowPlacementElements" tinyint NULL
, "TheirRefAlwaysRequiredOnTimesheets" tinyint NULL
, "AllowVacancyInvoiceAddress"  tinyint NULL
, "TimesheetCurrentWeekShiftsOnly" tinyint NULL
, "DefaultVacancyTemp"          tinyint NULL
, "UseSecondaryAgencies"        tinyint NULL
, "Version2"                     tinyint NULL
, "SecondaryCascade"             tinyint NULL
, "EscalatePopups"              tinyint NULL
, "dblicense"                     long VARCHAR NULL
, "SendHolidayPayToLSM"          tinyint NULL
, "noOLEblobwrappers"           tinyint NULL
, "NominalSegment1LinkToUser"    tinyint NULL
, "NominalSegment2LinkToUser"    tinyint NULL
, "NominalSegment3LinkToUser"    tinyint NULL
, "NominalSegment4LinkToUser"    tinyint NULL
, "NominalSegment5LinkToUser"    tinyint NULL
, "BlobExternalStorage"          tinyint NULL
, "BlobExternalRootFolder"       CHAR(100) NULL
, "LastAnalysisBatch"            INTEGER NULL
, PRIMARY KEY ("dbid" ASC)
)
GO

COMMENT ON COLUMN "pears"."params"."TimeSheetNumberSystem" IS
'0:automatic 1>manual 2:none'
```



GO

```
COMMENT ON COLUMN "pears"."params"."InternalClientCode" IS  
    'For internal timesheets'
```

GO

```
COMMENT ON COLUMN "pears"."params"."EmailType" IS  
    '0 MAPI, 1 MAPI with Inbox, 2 OfficeTalk'
```

GO

```
COMMENT ON COLUMN "pears"."params"."PayrollType" IS  
    '0 None, 1 Tempaid, 2 Sage, 9 Other'
```

GO

```
COMMENT ON COLUMN "pears"."params"."EmailFaxAddress" IS  
    'Insert # for the number'
```

GO

```
COMMENT ON COLUMN "pears"."params"."EmailSMSAddress" IS  
    'Insert # for the number'
```

GO

```
COMMENT ON COLUMN "pears"."params"."EmailFaxSubject" IS  
    'Insert # for the number'
```

GO

```
COMMENT ON COLUMN "pears"."params"."EmailSMSSubject" IS  
    'Insert # for the number'
```

GO

```
COMMENT ON COLUMN "pears"."params"."HolidayYearStart" IS  
    'Set to NULL to use individual employment start date'
```

GO

```
COMMENT ON COLUMN "pears"."params"."HomeCurrency" IS  
    'In multi-currency environments, all values will be specified in the  
    HOME currency'
```

GO



```
COMMENT ON COLUMN "pears"."params"."HTTPSMSRequest" IS  
    'Insert # for the number and ~ for the text'  
GO
```

```
COMMENT ON TABLE "pears"."params" IS  
    'System parameters. Only one record in table.'  
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_params

Last update: **2026/08/07 19:24**

