



pears.PayrollDocument



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links to payroll PDF documents in the blobstore (class P)

Columns

Column	Type	Null	Default	Comment
PayrollDocumentID	char(20)	NOT NULL		=blobstore.id where blobstore.class=P
DocumentType	char(12)	NOT NULL		Payslip, P45, P60
PayrollCompanyID	char(1)	NOT NULL		
PeriodLength	char(1)	NULL		
Year	integer	NULL		
Period	integer	NULL		
PayrollNumber	char(20)	NOT NULL		
PersonID	char(20)	NOT NULL		
WhenEntered	timestamp	NULL	current timestamp	

Primary Key

- PayrollDocumentID

Foreign Keys

Constraint	Columns	References	Delete/update action
Person	PersonID	pears.Person (personid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

Name	Type	Columns	Detail
PayrollDocumentPayrollNumber	Index	PayrollNumber, DocumentType	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."PayrollDocument"
-- Table comment: Links to payroll PDF documents in the blobstore (class P)
-- Statement count: 6
```

```
CREATE TABLE "pears"."PayrollDocument" (
  "PayrollDocumentID"      CHAR(20) NOT NULL
  , "DocumentType"          CHAR(12) NOT NULL
  , "PayrollCompanyID"      CHAR(1) NOT NULL
  , "PeriodLength"          CHAR(1) NULL
  , "Year"                  INTEGER NULL
  , "Period"                INTEGER NULL
  , "PayrollNumber"         CHAR(20) NOT NULL
  , "PersonID"              CHAR(20) NOT NULL
  , "WhenEntered"           TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
  , PRIMARY KEY ("PayrollDocumentID" ASC)
)
GO
```

```
COMMENT ON COLUMN "pears"."PayrollDocument"."PayrollDocumentID" IS
  '=blobstore.id where blobstore.class=P'
GO
```

```
COMMENT ON COLUMN "pears"."PayrollDocument"."DocumentType" IS
  'Payslip, P45, P60'
GO
```

```
COMMENT ON TABLE "pears"."PayrollDocument" IS
  'Links to payroll PDF documents in the blobstore (class P)'
```



GO

```
ALTER TABLE "pears"."PayrollDocument"  
  ADD NOT NULL FOREIGN KEY "Person" ("PersonID" ASC)  
  REFERENCES "pears"."Person" ("personid")  
  ON DELETE CASCADE
```

GO

```
CREATE INDEX "PayrollDocumentPayrollNumber" ON "pears"."PayrollDocument"  
  ( "PayrollNumber", "DocumentType" )
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_payrolldocument

Last update: **2026/08/07 19:24**

