



pears.PayrollYear



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Details of the start and number of weeks in each payroll year.

Columns

Column	Type	Null	Default	Comment
YearNumber	smallint	NOT NULL		
Week1Friday	date	NOT NULL		
NumberOfWeeks	smallint	NOT NULL	52	

Primary Key

- YearNumber

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
UpdatePayrollCalendar	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."PayrollYear"
-- Table comment: Details of the start and number of weeks in each payroll
year.
-- Statement count: 4

CREATE TABLE "pears"."PayrollYear" (
    "YearNumber"                SMALLINT NOT NULL
    , "Week1Friday"              DATE NOT NULL
    , "NumberOfWeeks"            SMALLINT NOT NULL DEFAULT 52
    , PRIMARY KEY ("YearNumber" ASC)
)
GO

COMMENT ON TABLE "pears"."PayrollYear" IS
    'Details of the start and number of weeks in each payroll year.'
GO

CREATE TRIGGER "UpdatePayrollCalendar" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."PayrollYear"
FOR each statement
BEGIN
    CALL "pears"."PopulatePayrollCalendar"()
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."PayrollYear"."UpdatePayrollCalendar" IS
{CREATE TRIGGER UpdatePayrollCalendar
after INSERT,DELETE,UPDATE ORDER 1 ON
pears.PayrollYear
FOR each statement
BEGIN
    CALL pears.PopulatePayrollCalendar()
END
```



}
GO

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_payrollyear

Last update: **2026/08/07 19:24**

