



pears.PDFExtraDocument



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Additional Documents for scanned timesheets

Columns

Column	Type	Null	Default	Comment
PDFExtraDocumentID	char(20)	NOT NULL		
TempTimesheetID	char(20)	NULL		
FileNamePath	char(250)	NULL		
FileType	char(1)	NOT NULL		
WasUsed	smallint	NOT NULL	0	
TempProvTimesheetID	char(20)	NULL		
PDFImageBlobID	char(20)	NULL		
FileHash	char(40)	NULL		
DoNotAddtoInvoice	smallint	NULL	0	
timesheetlineid	char(20)	NULL		

Primary Key

- PDFExtraDocumentID

Foreign Keys

Constraint	Columns	References	Delete/update action
TempTimesheet	TempTimesheetID	pears.TempTimeSheet (TempTimeSheetID)	ON DELETE CASCADE
TempProvTimesheet	TempProvTimesheetID	pears.TempProvTimeSheet (TempProvTimeSheetID)	ON DELETE SET NULL



Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."PDFExtraDocument"
-- Table comment: Additional Documents for scanned timesheets
-- Statement count: 4

CREATE TABLE "pears"."PDFExtraDocument" (
    "PDFExtraDocumentID"          CHAR(20) NOT NULL
    , "TempTimesheetID"            CHAR(20) NULL
    , "FileNamePath"               CHAR(250) NULL
    , "FileType"                   CHAR(1) NOT NULL
    , "WasUsed"                    SMALLINT NOT NULL DEFAULT 0
    , "TempProvTimesheetID"        CHAR(20) NULL
    , "PDFImageBlobID"             CHAR(20) NULL
    , "FileHash"                   CHAR(40) NULL
    , "DoNotAddtoInvoice"          SMALLINT NULL DEFAULT 0
    , "timesheetlineid"            CHAR(20) NULL
    , PRIMARY KEY ("PDFExtraDocumentID" ASC)
)
GO

COMMENT ON TABLE "pears"."PDFExtraDocument" IS
    'Additional Documents for scanned timesheets'
GO

ALTER TABLE "pears"."PDFExtraDocument"
```



```
ADD FOREIGN KEY "TempTimesheet" ("TempTimesheetID" ASC)
REFERENCES "pears"."TempTimeSheet" ("TempTimeSheetID")
ON DELETE CASCADE
```

GO

```
ALTER TABLE "pears"."PDFExtraDocument"
ADD FOREIGN KEY "TempProvTimesheet" ("TempProvTimesheetID" ASC)
REFERENCES "pears"."TempProvTimeSheet" ("TempProvTimeSheetID")
ON DELETE SET NULL
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_pdfextradocument

Last update: **2026/08/07 19:24**

