



pears.PersonIncompatibility



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Records incompatibilities between individual providers and recipients. Healthcare (esp Home Care) usage.

Columns

Column	Type	Null	Default	Comment
PersonIncompatibilityID	char(20)	NOT NULL		
Person1ID	char(20)	NOT NULL		
Person2ID	char(20)	NOT NULL		
StaffID	char(20)	NULL		
EntryDate	date	NULL		
Description	char(50)	NULL		

Primary Key

- PersonIncompatibilityID

Foreign Keys

Constraint	Columns	References	Delete/update action
staff	StaffID	pears.staff (staffid)	ON DELETE SET NULL
Person1	Person1ID	pears.Person (personid)	NOT NULL; ON DELETE CASCADE
Person2	Person2ID	pears.Person (personid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."PersonIncompatibility"
-- Table comment: Records incompatibilities between individual providers and
-- recipients. Healthcare (esp Home Care) usage.
-- Statement count: 5
```

```
CREATE TABLE "pears"."PersonIncompatibility" (
    "PersonIncompatibilityID"    CHAR(20) NOT NULL
    , "Person1ID"                CHAR(20) NOT NULL
    , "Person2ID"                CHAR(20) NOT NULL
    , "StaffID"                  CHAR(20) NULL
    , "EntryDate"                DATE NULL
    , "Description"              CHAR(50) NULL
    , PRIMARY KEY ("PersonIncompatibilityID" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."PersonIncompatibility" IS
    'Records incompatibilities between individual providers and recipients.
    Healthcare (esp Home Care) usage.'
GO
```

```
ALTER TABLE "pears"."PersonIncompatibility"
    ADD FOREIGN KEY "staff" ("StaffID" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE SET NULL
GO
```

```
ALTER TABLE "pears"."PersonIncompatibility"
    ADD NOT NULL FOREIGN KEY "Person1" ("Person1ID" ASC)
```



```
REFERENCES "pears"."Person" ("personid")  
ON DELETE CASCADE
```

```
GO
```

```
ALTER TABLE "pears"."PersonIncompatibility"  
ADD NOT NULL FOREIGN KEY "Person2" ("Person2ID" ASC)  
REFERENCES "pears"."Person" ("personid")  
ON DELETE CASCADE
```

```
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_personincompatibility

Last update: **2026/08/07 19:24**

