



pears.PlacementRole



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Capacities in which Staff records are related to a Placement

Columns

Column	Type	Null	Default	Comment
PlacementRoleID	char(20)	NOT NULL		
Description	char(50)	NULL		
DepartmentID	char(2)	NULL		
SortOrder	smallint	NULL		

Primary Key

- PlacementRoleID

Foreign Keys

Constraint	Columns	References	Delete/update action
department	DepartmentID	pears.Department (departmentid)	ON DELETE SET NULL

Referenced By

Table	Constraint	Columns	Referenced columns
pears.Placement	PlacementRole	PlacementRoleID	PlacementRoleID

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."PlacementRole"
-- Table comment: Capacities in which Staff records are related to a
Placement
-- Statement count: 3

CREATE TABLE "pears"."PlacementRole" (
    "PlacementRoleID"          CHAR(20) NOT NULL
    ,"Description"              CHAR(50) NULL
    ,"DepartmentID"             CHAR(2)  NULL
    ,"SortOrder"                SMALLINT NULL
    ,PRIMARY KEY ("PlacementRoleID" ASC)
)
GO

COMMENT ON TABLE "pears"."PlacementRole" IS
    'Capacities in which Staff records are related to a Placement'
GO

ALTER TABLE "pears"."PlacementRole"
    ADD FOREIGN KEY "department" ("DepartmentID" ASC)
    REFERENCES "pears"."Department" ("departmentid")
    ON DELETE SET NULL
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_placementrole

Last update: 2026/08/07 19:24

