



pears.psHealthPerson



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links to PSHealth (now Mobisio) worker records

Columns

Column	Type	Null	Default	Comment
psHealthPersonID	char(20)	NOT NULL		
personid	char(20)	NOT NULL		
transferbatch	smallint	NOT NULL	0	
recipientflag	char(1)	NULL		
tenantCustomerId	char(20)	NULL		Person appnumber
tenantCarerId	char(20)	NULL		Person appnumber
tenantBranchId	char(20)	NULL		
pin	char(20)	NULL		
username	char(50)	NULL		
title	char(50)	NULL		
firstName	char(50)	NULL		
lastName	char(50)	NULL		
email	char(50)	NULL		
primaryTelephone	char(50)	NULL		
secondaryTelephone	char(50)	NULL		
dateOfBirth	timestamp	NULL		
gender	char(50)	NULL		
addressLineOne	char(50)	NULL		
addressLineTwo	char(50)	NULL		
addressCity	char(50)	NULL		
addressPostcode	char(50)	NULL		
addressCounty	char(50)	NULL		
addressCountry	char(50)	NULL		
addressLatitude	double	NULL		
addressLongitude	double	NULL		
team	char(50)	NULL		



Column	Type	Null	Default	Comment
nfcTag	char(50)	NULL		
location	char(50)	NULL		
isActive	smallint	NULL		check if 1 or 0 or null or true or false
loginsent	smallint	NOT NULL	0	

Primary Key

- psHealthPersonID

Foreign Keys

Constraint	Columns	References	Delete/update action
Person	personid	pears.Person (personid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."psHealthPerson"
-- Table comment: Links to PSHealth (now Mobisio) worker records
-- Statement count: 6

CREATE TABLE "pears"."psHealthPerson" (
  "psHealthPersonID"      CHAR(20) NOT NULL
, "personid"              CHAR(20) NOT NULL
, "transferbatch"         SMALLINT NOT NULL DEFAULT 0
, "recipientflag"         CHAR(1) NULL
```



```
, "tenantCustomerId"          CHAR(20) NULL
, "tenantCarerId"             CHAR(20) NULL
, "tenantBranchId"           CHAR(20) NULL
, "pin"                       CHAR(20) NULL
, "username"                  CHAR(50) NULL
, "title"                     CHAR(50) NULL
, "firstName"                 CHAR(50) NULL
, "lastName"                  CHAR(50) NULL
, "email"                     CHAR(50) NULL
, "primaryTelephone"          CHAR(50) NULL
, "secondaryTelephone"        CHAR(50) NULL
, "dateOfBirth"               TIMESTAMP NULL
, "gender"                     CHAR(50) NULL
, "addressLineOne"            CHAR(50) NULL
, "addressLineTwo"            CHAR(50) NULL
, "addressCity"                CHAR(50) NULL
, "addressPostcode"           CHAR(50) NULL
, "addressCounty"             CHAR(50) NULL
, "addressCountry"            CHAR(50) NULL
, "addressLatitude"           DOUBLE NULL
, "addressLongitude"          DOUBLE NULL
, "team"                       CHAR(50) NULL
, "nfcTag"                     CHAR(50) NULL
, "location"                   CHAR(50) NULL
, "isActive"                   SMALLINT NULL
, "loginsent"                   SMALLINT NOT NULL DEFAULT 0
, PRIMARY KEY ("psHealthPersonID" ASC)
)
GO

COMMENT ON COLUMN "pears"."psHealthPerson"."tenantCustomerId" IS
    'Person appnumber'
GO

COMMENT ON COLUMN "pears"."psHealthPerson"."tenantCarerId" IS
    'Person appnumber'
GO

COMMENT ON COLUMN "pears"."psHealthPerson"."isActive" IS
    'check if 1 or 0 or null or true or false'
GO

COMMENT ON TABLE "pears"."psHealthPerson" IS
    'Links to PSHealth (now Mobisio) worker records'
```



GO

```
ALTER TABLE "pears"."psHealthPerson"  
  ADD NOT NULL FOREIGN KEY "Person" ("personid" ASC)  
  REFERENCES "pears"."Person" ("personid")  
  ON DELETE CASCADE
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_pshealthperson

Last update: **2026/08/07 19:24**

