



pears.PushNotificationTemplate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
PushNotificationTemplateID	char(20)	NOT NULL		
Description	char(50)	NULL		
PushIcon	char(200)	NULL		
PushGroup	char(20)	NULL		
PushURL	char(200)	NULL		
Sound	char(50)	NULL	'default'	
Badge	char(50)	NULL	1	
NotificationForeground	tinyint	NULL	1	
Priority	tinyint	NULL	1	
Colour	integer	NULL	16777215	

Primary Key

- PushNotificationTemplateID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.NotificationTemplate	PushNotificationTemplate	PushNotificationTemplateID	PushNotificationTemplateID

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."PushNotificationTemplate"
-- Table comment:
-- Statement count: 1

CREATE TABLE "pears"."PushNotificationTemplate" (
  "PushNotificationTemplateID" CHAR(20) NOT NULL
, "Description" CHAR(50) NULL
, "PushIcon" CHAR(200) NULL
, "PushGroup" CHAR(20) NULL
, "PushURL" CHAR(200) NULL
, "Sound" CHAR(50) NULL DEFAULT 'default'
, "Badge" CHAR(50) NULL DEFAULT 1
, "NotificationForeground" tinyint NULL DEFAULT 1
, "Priority" tinyint NULL DEFAULT 1
, "Colour" INTEGER NULL DEFAULT 16777215
, PRIMARY KEY ("PushNotificationTemplateID" ASC)
)
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_pushnotificationtemplate

Last update: 2026/08/07 19:24

