



pears.RecentObjects



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Record of user viewing of different database objects.

Columns

Column	Type	Null	Default	Comment
StaffID	char(20)	NOT NULL		
ObjectType	char(1)	NOT NULL		N:ContactEvent E:Employment R:Progress T:Timesheet or ProvTimesheet
ObjectID	char(20)	NOT NULL		
LastViewed	timestamp	NULL	current timestamp	

Primary Key

- StaffID, ObjectType, ObjectID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
RecentObjects_StaffIDLastViewed	Index	StaffID, LastViewed	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."RecentObjects"
-- Table comment: Record of user viewing of different database objects.
-- Statement count: 4

CREATE TABLE "pears"."RecentObjects" (
    "StaffID"                CHAR(20) NOT NULL
    , "ObjectType"            CHAR(1) NOT NULL
    , "ObjectID"              CHAR(20) NOT NULL
    , "LastViewed"            TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
    , PRIMARY KEY ("StaffID" ASC, "ObjectType" ASC, "ObjectID" ASC)
)
GO

COMMENT ON COLUMN "pears"."RecentObjects"."ObjectType" IS
    'N:ContactEvent E:Employment R:Progress T:Timesheet or ProvTimesheet'
GO

COMMENT ON TABLE "pears"."RecentObjects" IS
    'Record of user viewing of different database objects.'
GO

CREATE INDEX "RecentObjects_StaffIDLastViewed" ON "pears"."RecentObjects"
    ( "StaffID", "LastViewed" DESC )
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_recentobjects

Last update: 2026/08/07 19:24



