



pears.ReferenceMaster



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Template for online referencing.

Columns

Column	Type	Null	Default	Comment
ReferenceMasterID	char(20)	NOT NULL		
DepartmentID	char(2)	NOT NULL		
ReferenceMasterName	char(100)	NOT NULL		
sortorder	smallint	NULL		

Primary Key

- ReferenceMasterID

Foreign Keys

Constraint	Columns	References	Delete/update action
department	DepartmentID	pears.Department (departmentid)	NOT NULL;

Referenced By

Table	Constraint	Columns	Referenced columns
pears.DeletedReferenceMasterQuestion	ReferenceMaster	ReferenceMasterID	ReferenceMasterID
pears.ReferenceMasterQuestion	ReferenceMaster	ReferenceMasterID	ReferenceMasterID
pears.ReferenceRequest	ReferenceMaster	ReferenceMasterID	ReferenceMasterID

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."ReferenceMaster"
-- Table comment: Template for online referencing.
-- Statement count: 3

CREATE TABLE "pears"."ReferenceMaster" (
    "ReferenceMasterID"          CHAR(20) NOT NULL
    , "DepartmentID"             CHAR(2)  NOT NULL
    , "ReferenceMasterName"      CHAR(100) NOT NULL
    , "sortorder"                SMALLINT NULL
    , PRIMARY KEY ("ReferenceMasterID" ASC)
)
GO

COMMENT ON TABLE "pears"."ReferenceMaster" IS
    'Template for online referencing.'
GO

ALTER TABLE "pears"."ReferenceMaster"
    ADD NOT NULL FOREIGN KEY "department" ("DepartmentID" ASC)
    REFERENCES "pears"."Department" ("departmentid")
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_referencemaster

Last update: 2026/08/07 19:24

