



pears.rejectionreason



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Optional rejection reasons offered when a candidate is rejected.

Columns

Column	Type	Null	Default	Comment
rejectreasonid	char(20)	NOT NULL		
reason	char(25)	NOT NULL		
sortorder	smallint	NULL		

Primary Key

- rejectreasonid

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
rejectionreason_sortorder	Index	sortorder	
rejectionreason_reason	Index	reason	



Triggers

Name	Timing	Event
WPK_rejectionreason_REJECTREASON	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."rejectionreason"
-- Table comment: Optional rejection reasons offered when a candidate is
rejected.
-- Statement count: 6

CREATE TABLE "pears"."rejectionreason" (
    "rejectreasonid"          CHAR(20) NOT NULL
    ,"reason"                 CHAR(25) NOT NULL
    ,"sortorder"              SMALLINT NULL
    ,PRIMARY KEY ("rejectreasonid" ASC)
)
GO

COMMENT ON TABLE "pears"."rejectionreason" IS
    'Optional rejection reasons offered when a candidate is rejected.'
GO

CREATE INDEX "rejectionreason_sortorder" ON "pears"."rejectionreason"
    ( "sortorder" )
GO

CREATE INDEX "rejectionreason_reason" ON "pears"."rejectionreason"
    ( "reason" )
GO

CREATE TRIGGER "WPK_rejectionreason_REJECTREASON" after INSERT,DELETE,UPDATE
ORDER 1 ON
"pears"."rejectionreason"
FOR each statement
BEGIN
    CALL "WPKTrackChange"('P','REJECTREASON')
END
GO
```



```
COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."rejectionreason"."WPK_rejectionreason_REJECTREASON" IS
{CREATE TRIGGER WPK_rejectionreason_REJECTREASON
  after INSERT,DELETE,UPDATE ORDER 1 ON
  rejectionreason
  FOR each statement
  BEGIN
    CALL WPKTrackChange('P','REJECTREASON')
  END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_rejectionreason

Last update: **2026/08/07 19:24**

