



pears.RSTempJobRateMaster



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
TempJobRateMasterID	char(20)	NOT NULL		
InstanceID	char(20)	NOT NULL		
TempJobTypeID	char(20)	NOT NULL		
TempPayBandID	char(20)	NOT NULL		
PayRate	double	NULL		
ChargeRate	double	NULL		
Margin	double	NULL		
NewPayRate	double	NULL		
NewChargeRate	double	NULL		
NewMargin	double	NULL		
StartDate	date	NULL		
EndDate	date	NULL		
TimeFrom	time	NULL		
TimeTo	time	NULL		
Grade	char(4)	NULL		
Filter1	char(4)	NULL		
Filter2	char(4)	NULL		
Filter3	char(4)	NULL		
ExtraRate1	double	NULL		
ExtraRate2	double	NULL		
ExtraRate3	double	NULL		
Sel	smallint	NULL	0	

Primary Key

- TempJobRateMasterID, InstanceID

Foreign Keys

- No outgoing foreign keys found.



Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."RSTempJobRateMaster"
-- Table comment:
-- Statement count: 1

CREATE GLOBAL TEMPORARY TABLE "pears"."RSTempJobRateMaster" (
    "TempJobRateMasterID"      CHAR(20) NOT NULL
    , "InstanceID"              CHAR(20) NOT NULL
    , "TempJobTypeID"           CHAR(20) NOT NULL
    , "TempPayBandID"           CHAR(20) NOT NULL
    , "PayRate"                 DOUBLE NULL
    , "ChargeRate"              DOUBLE NULL
    , "Margin"                  DOUBLE NULL
    , "NewPayRate"              DOUBLE NULL
    , "NewChargeRate"           DOUBLE NULL
    , "NewMargin"               DOUBLE NULL
    , "StartDate"               DATE NULL
    , "EndDate"                 DATE NULL
    , "TimeFrom"                TIME NULL
    , "TimeTo"                  TIME NULL
    , "Grade"                   CHAR(4) NULL
    , "Filter1"                  CHAR(4) NULL
    , "Filter2"                  CHAR(4) NULL
    , "Filter3"                  CHAR(4) NULL
    , "ExtraRate1"              DOUBLE NULL
    , "ExtraRate2"              DOUBLE NULL
    , "ExtraRate3"              DOUBLE NULL
)
```



```
, "Se1" SMALLINT NULL DEFAULT 0  
, PRIMARY KEY ( "TempJobRateMasterID" ASC, "InstanceID" ASC)  
) NOT TRANSACTIONAL  
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_rstempjobratemaster

Last update: **2026/08/07 19:24**

