



pears.SalesBrand



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
SalesBrandID	char(20)	NOT NULL		
DivisionID	char(20)	NULL		
InvoicePrefix	char(10)	NULL		
Description	char(50)	NOT NULL		
Analysis	char(50)	NULL		
AlternativeInvoiceAddressEmailID	char(20)	NULL		may not be used
InvoiceEmail	char(250)	NULL		may not be used
InvoiceAddress	long varchar	NULL		may not be used
Defunct	tinyint	NOT NULL	0	

Primary Key

- SalesBrandID

Foreign Keys

Constraint	Columns	References	Delete/update action
Division	DivisionID	pears.Division (divisionid)	ON DELETE CASCADE
AlternativeInvoiceAddressEmail	AlternativeInvoiceAddressEmailID	pears.AlternativeInvoiceAddressEmail (AlternativeInvoiceAddressEmailID)	ON DELETE CASCADE

Referenced By

Table	Constraint	Columns	Referenced columns
pears.AccountOverrideInvoiceAddress	SalesBrand	SalesBrandID	SalesBrandID
pears.Placement	SalesBrand	SalesBrandID	SalesBrandID



Indexes

- No indexes found.

Triggers

Name	Timing	Event
SalesBrandAudit	after	update of "InvoiceEmail", "InvoiceAddress", "InvoicePrefix" order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."SalesBrand"
-- Table comment:
-- Statement count: 8

CREATE TABLE "pears"."SalesBrand" (
    "SalesBrandID"          CHAR(20) NOT NULL
    , "DivisionID"          CHAR(20) NULL
    , "InvoicePrefix"       CHAR(10) NULL
    , "Description"         CHAR(50) NOT NULL
    , "Analysis"            CHAR(50) NULL
    , "AlternativeInvoiceAddressEmailID" CHAR(20) NULL
    , "InvoiceEmail"        CHAR(250) NULL
    , "InvoiceAddress"      long VARCHAR NULL
    , "Defunct"             tinyint NOT NULL DEFAULT 0
    , PRIMARY KEY ("SalesBrandID" ASC)
)
GO

COMMENT ON COLUMN "pears"."SalesBrand"."AlternativeInvoiceAddressEmailID" IS
    'may not be used'
GO

COMMENT ON COLUMN "pears"."SalesBrand"."InvoiceEmail" IS
    'may not be used'
GO

COMMENT ON COLUMN "pears"."SalesBrand"."InvoiceAddress" IS
    'may not be used'
GO
```



```
ALTER TABLE "pears"."SalesBrand"
  ADD FOREIGN KEY "Division" ("DivisionID" ASC)
  REFERENCES "pears"."Division" ("divisionid")
  ON DELETE CASCADE
GO

ALTER TABLE "pears"."SalesBrand"
  ADD FOREIGN KEY "AlternativeInvoiceAddressEmail"
  ("AlternativeInvoiceAddressEmailID" ASC)
  REFERENCES "pears"."AlternativeInvoiceAddressEmail"
  ("AlternativeInvoiceAddressEmailID")
  ON DELETE CASCADE
GO

CREATE TRIGGER "SalesBrandAudit" after UPDATE OF "InvoiceEmail",
"InvoiceAddress","InvoicePrefix" ORDER 1 ON
"pears"."SalesBrand"
REFERENCING OLD AS "old_brand" NEW AS "new_brand"
FOR each ROW
BEGIN
  IF UPDATE("InvoiceEmail") THEN
    CALL
    "AuditLog"('SALESBRAND',"new_brand"."SalesBrandID","string"("new_brand"."des
cription",' - Email'),'old_brand"."InvoiceEmail","new_brand"."InvoiceEmail")
  ELSE IF UPDATE("InvoiceAddress") THEN
    CALL
    "AuditLog"('SALESBRAND',"new_brand"."SalesBrandID","string"("new_brand"."des
cription",' -
Address'),'old_brand"."InvoiceAddress","new_brand"."InvoiceAddress")
  ELSE IF UPDATE("InvoicePrefix") THEN
    CALL
    "AuditLog"('SALESBRAND',"new_brand"."SalesBrandID","string"("new_brand"."des
cription",' -
Prefix'),'old_brand"."InvoicePrefix","new_brand"."InvoicePrefix")
  END IF END IF END IF
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER "pears"."SalesBrand"."SalesBrandAudit"
IS
{CREATE TRIGGER SalesBrandAudit
  after UPDATE OF InvoiceEmail,InvoiceAddress,InvoicePrefix ORDER 1 ON
SalesBrand
```



```
REFERENCING OLD AS old_brand NEW AS new_brand
FOR each ROW
BEGIN
    IF UPDATE (InvoiceEmail) THEN
        CALL
        AuditLog('SALESBRAND',new_brand.SalesBrandID,string(new_brand.description , '
- Email'),old_brand.InvoiceEmail,new_brand.InvoiceEmail)
    ELSE IF UPDATE (InvoiceAddress) THEN
        CALL
        AuditLog('SALESBRAND',new_brand.SalesBrandID,string(new_brand.description , '
- Address'),old_brand.InvoiceAddress,new_brand.InvoiceAddress)
    ELSE IF UPDATE (InvoicePrefix) THEN
        CALL
        AuditLog('SALESBRAND',new_brand.SalesBrandID,string(new_brand.description , '
- Prefix'),old_brand.InvoicePrefix,new_brand.InvoicePrefix)
    END IF END IF END IF;
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_salesbrand

Last update: **2026/08/07 19:24**

