



pears.StaffExtTempdeskAccess



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Used to grant rights to specific tempdesks for users with restricted rights

Columns

Column	Type	Null	Default	Comment
StaffID	char(20)	NOT NULL		
TempdeskID	char(20)	NOT NULL		

Primary Key

- StaffID, TempdeskID

Foreign Keys

Constraint	Columns	References	Delete/update action
staff	StaffID	pears.staff (staffid)	NOT NULL; ON DELETE CASCADE
tempdesk	TempdeskID	pears.tempdesk (tempdeskid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."StaffExtTempdeskAccess"
-- Table comment: Used to grant rights to specific tempdesks for users with
restricted rights
-- Statement count: 4

CREATE TABLE "pears"."StaffExtTempdeskAccess" (
    "StaffID"                CHAR(20) NOT NULL
    , "TempdeskID"            CHAR(20) NOT NULL
    , PRIMARY KEY ("StaffID" ASC, "TempdeskID" ASC)
)
GO

COMMENT ON TABLE "pears"."StaffExtTempdeskAccess" IS
    'Used to grant rights to specific tempdesks for users with restricted
rights'
GO

ALTER TABLE "pears"."StaffExtTempdeskAccess"
    ADD NOT NULL FOREIGN KEY "staff" ("StaffID" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."StaffExtTempdeskAccess"
    ADD NOT NULL FOREIGN KEY "tempdesk" ("TempdeskID" ASC)
    REFERENCES "pears"."tempdesk" ("tempdeskid")
    ON DELETE CASCADE
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_staffexttempdeskaccess

Last update: **2026/08/07 19:24**

