



pears.StaffHistory



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
StaffHistoryID	char(20)	NOT NULL		
PersonID	char(20)	NULL		
CompanyID	char(20)	NULL		
PlacementID	char(20)	NULL		
VacancyID	char(20)	NULL		
OldStaff	char(20)	NULL		
NewStaff	char(20)	NULL		
WhoEntered	char(20)	NULL		
WhenEntered	timestamp	NOT NULL	current timestamp	

Primary Key

- StaffHistoryID

Foreign Keys

Constraint	Columns	References	Delete/update action
Person	PersonID	pears.Person (personid)	ON DELETE CASCADE
Company	CompanyID	pears.Company (companyid)	ON DELETE CASCADE
Placement	PlacementID	pears.Placement (placementid)	ON DELETE CASCADE
Vacancy	VacancyID	pears.vacancy (vacancyid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."StaffHistory"
-- Table comment:
-- Statement count: 5

CREATE TABLE "pears"."StaffHistory" (
    "StaffHistoryID"          CHAR(20) NOT NULL
    , "PersonID"              CHAR(20) NULL
    , "CompanyID"             CHAR(20) NULL
    , "PlacementID"           CHAR(20) NULL
    , "VacancyID"             CHAR(20) NULL
    , "OldStaff"              CHAR(20) NULL
    , "NewStaff"              CHAR(20) NULL
    , "WhoEntered"            CHAR(20) NULL
    , "WhenEntered"           TIMESTAMP NOT NULL DEFAULT CURRENT
TIMESTAMP
    , PRIMARY KEY ("StaffHistoryID" ASC)
)
GO

ALTER TABLE "pears"."StaffHistory"
    ADD FOREIGN KEY "Person" ("PersonID" ASC)
    REFERENCES "pears"."Person" ("personid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."StaffHistory"
    ADD FOREIGN KEY "Company" ("CompanyID" ASC)
    REFERENCES "pears"."Company" ("companyid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."StaffHistory"
    ADD FOREIGN KEY "Placement" ("PlacementID" ASC)
    REFERENCES "pears"."Placement" ("placementid")
```



```
ON DELETE CASCADE
GO
```

```
ALTER TABLE "pears"."StaffHistory"
  ADD FOREIGN KEY "Vacancy" ("VacancyID" ASC)
  REFERENCES "pears"."vacancy" ("vacancyid")
  ON DELETE CASCADE
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_staffhistory

Last update: **2026/08/07 19:24**

