



pears.StatusHistory



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
StatusHistoryID	char(20)	NOT NULL		
PersonID	char(20)	NULL		
CompanyID	char(20)	NULL		
IsSales	tinyint	NOT NULL	0	
VacancyID	char(20)	NULL		
OldStatus	char(20)	NULL		
NewStatus	char(20)	NULL		
WhenEntered	timestamp	NOT NULL	current timestamp	
StaffID	char(20)	NULL		

Primary Key

- StatusHistoryID

Foreign Keys

Constraint	Columns	References	Delete/update action
Person	PersonID	pears.Person (personid)	ON DELETE CASCADE
Company	CompanyID	pears.Company (companyid)	ON DELETE CASCADE
Vacancy	VacancyID	pears.vacancy (vacancyid)	ON DELETE CASCADE
Staff	StaffID	pears.staff (staffid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."StatusHistory"
-- Table comment:
-- Statement count: 5

CREATE TABLE "pears"."StatusHistory" (
    "StatusHistoryID"          CHAR(20) NOT NULL
    , "PersonID"                CHAR(20) NULL
    , "CompanyID"               CHAR(20) NULL
    , "IsSales"                  tinyint NOT NULL DEFAULT 0
    , "VacancyID"                CHAR(20) NULL
    , "OldStatus"                CHAR(20) NULL
    , "NewStatus"                CHAR(20) NULL
    , "WhenEntered"              TIMESTAMP NOT NULL DEFAULT CURRENT
TIMESTAMP
    , "StaffID"                  CHAR(20) NULL
    , PRIMARY KEY ("StatusHistoryID" ASC)
)
GO

ALTER TABLE "pears"."StatusHistory"
    ADD FOREIGN KEY "Person" ("PersonID" ASC)
    REFERENCES "pears"."Person" ("personid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."StatusHistory"
    ADD FOREIGN KEY "Company" ("CompanyID" ASC)
    REFERENCES "pears"."Company" ("companyid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."StatusHistory"
    ADD FOREIGN KEY "Vacancy" ("VacancyID" ASC)
    REFERENCES "pears"."vacancy" ("vacancyid")
```



```
ON DELETE CASCADE
GO

ALTER TABLE "pears"."StatusHistory"
  ADD FOREIGN KEY "Staff" ("StaffID" ASC)
  REFERENCES "pears"."staff" ("staffid")
  ON DELETE CASCADE
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_statushistory

Last update: **2026/08/07 19:24**

