



pears.StoredQuickLookup



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Stores saved searches so that they can be accessed quicker via UI.

Columns

Column	Type	Null	Default	Comment
StoredQuickLookupID	char(20)	NOT NULL		
Type	char(1)	NOT NULL		P Person, C Company etc.
StoredSelectionID	char(20)	NULL		
StoredSearchID	char(20)	NULL		
SortOrder	integer	NULL		
DepartmentID	char(2)	NULL		

Primary Key

- StoredQuickLookupID

Foreign Keys

Constraint	Columns	References	Delete/update action
StoredSelection	StoredSelectionID	pears.storedselection (storedselectionid)	ON DELETE CASCADE
StoredSearch	StoredSearchID	pears.storedsearch (storedsearchid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
WPK_StoredQuickLookup_STOREDQUICKLOOKUP	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."StoredQuickLookup"
-- Table comment: Stores saved searches so that they can be accessed quicker
via UI.
-- Statement count: 7
```

```
CREATE TABLE "pears"."StoredQuickLookup" (
  "StoredQuickLookupID"      CHAR(20) NOT NULL
, "Type"                     CHAR(1) NOT NULL
, "StoredSelectionID"        CHAR(20) NULL
, "StoredSearchID"           CHAR(20) NULL
, "SortOrder"                INTEGER NULL
, "DepartmentID"             CHAR(2) NULL
, PRIMARY KEY ("StoredQuickLookupID" ASC)
)
GO
```

```
COMMENT ON COLUMN "pears"."StoredQuickLookup"."Type" IS
  'P Person, C Company etc.'
GO
```

```
COMMENT ON TABLE "pears"."StoredQuickLookup" IS
  'Stores saved searches so that they can be accessed quicker via UI.'
GO
```

```
ALTER TABLE "pears"."StoredQuickLookup"
  ADD FOREIGN KEY "StoredSelection" ("StoredSelectionID" ASC)
  REFERENCES "pears"."storedselection" ("storedselectionid")
  ON DELETE CASCADE
GO
```

```
ALTER TABLE "pears"."StoredQuickLookup"
  ADD FOREIGN KEY "StoredSearch" ("StoredSearchID" ASC)
  REFERENCES "pears"."storedsearch" ("storedsearchid")
```



```
ON DELETE CASCADE
GO

CREATE TRIGGER "WPK_StoredQuickLookup_STOREDQUICKLOOKUP" after
INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."StoredQuickLookup"
FOR each statement
BEGIN
    CALL "WPKTrackChange"('P','STOREDQUICKLOOKUP')
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."StoredQuickLookup"."WPK_StoredQuickLookup_STOREDQUICKLOOKUP" IS
{CREATE TRIGGER WPK_StoredQuickLookup_STOREDQUICKLOOKUP
after INSERT,DELETE,UPDATE ORDER 1 ON
StoredQuickLookup
FOR each statement
BEGIN
    CALL WPKTrackChange('P','STOREDQUICKLOOKUP')
END
}
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_storedquicklookup

Last update: **2026/08/07 19:24**

