



pears.storedsearch



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Stored search headers. Individual criteria that constitute the search are stored in Criteria - with the appropriate location.

Columns

Column	Type	Null	Default	Comment
storedsearchid	char(20)	NOT NULL		
type	char(1)	NULL		
description	char(50)	NULL		
currentonly	smallint	NULL		0: All Except Deleted 1: Current Only 2: Include Deleted
permtempboth	smallint	NULL		perm:1 temp:2 both:3
departmentid	char(2)	NULL		
staffid	char(20)	NULL		

Primary Key

- storedsearchid

Foreign Keys

Constraint	Columns	References	Delete/update action
staff	staffid	pears.staff (staffid)	ON DELETE CASCADE

Referenced By

Table	Constraint	Columns	Referenced columns
pears.StoredQuickLookup	StoredSearch	StoredSearchID	storedsearchid



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."storedsearch"
-- Table comment: Stored search headers. Individual criteria that constitute
the search are stored in Criteria - with the appropriate location.
-- Statement count: 5
```

```
CREATE TABLE "pears"."storedsearch" (
    "storedsearchid"      CHAR(20) NOT NULL
    , "type"              CHAR(1) NULL
    , "description"       CHAR(50) NULL
    , "currentonly"       SMALLINT NULL
    , "permtempboth"      SMALLINT NULL
    , "departmentid"      CHAR(2) NULL
    , "staffid"           CHAR(20) NULL
    , PRIMARY KEY ("storedsearchid" ASC)
)
GO
```

```
COMMENT ON COLUMN "pears"."storedsearch"."currentonly" IS
    '0: All Except Deleted 1: Current Only 2: Include Deleted'
GO
```

```
COMMENT ON COLUMN "pears"."storedsearch"."permtempboth" IS
    'perm:1 temp:2 both:3'
GO
```

```
COMMENT ON TABLE "pears"."storedsearch" IS
    'Stored search headers. Individual criteria that constitute the search
are stored in Criteria - with the appropriate location.'
GO
```



```
ALTER TABLE "pears"."storedsearch"  
  ADD FOREIGN KEY "staff" ("staffid" ASC)  
  REFERENCES "pears"."staff" ("staffid")  
  ON DELETE CASCADE  
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_storedsearch

Last update: **2026/08/07 19:24**

