



pears.TempCustomJobRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Temporary table used in Estimating shifts revenue

Columns

Column	Type	Null	Default	Comment
GroupID	char(20)	NOT NULL		
TempPayBandID	char(20)	NOT NULL		
PayRate	double	NULL		
ChargeRate	double	NULL		
StartDate	date	NULL		
EndDate	date	NULL		
Grade	char(4)	NULL		
Filter1	char(4)	NULL		
Filter2	char(4)	NULL		
Filter3	char(4)	NULL		

Primary Key

- No primary key found in generated SQL.

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.



Indexes

Name	Type	Columns	Detail
TempCustomJobRateGroup	Index	GroupID	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempCustomJobRate"
-- Table comment: Temporary table used in Estimating shifts revenue
-- Statement count: 3
```

```
CREATE GLOBAL TEMPORARY TABLE "pears"."TempCustomJobRate" (
    "GroupID"                CHAR(20) NOT NULL
    , "TempPayBandID"         CHAR(20) NOT NULL
    , "PayRate"               DOUBLE NULL
    , "ChargeRate"            DOUBLE NULL
    , "StartDate"             DATE NULL
    , "EndDate"               DATE NULL
    , "Grade"                 CHAR(4) NULL
    , "Filter1"                CHAR(4) NULL
    , "Filter2"                CHAR(4) NULL
    , "Filter3"                CHAR(4) NULL
) ON COMMIT PRESERVE ROWS
GO
```

```
COMMENT ON TABLE "pears"."TempCustomJobRate" IS
    'Temporary table used in Estimating shifts revenue'
GO
```

```
CREATE INDEX "TempCustomJobRateGroup" ON "pears"."TempCustomJobRate"
    ( "GroupID" )
GO
```



From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempcustomjobrate

Last update: **2026/08/07 19:24**

