



pears.TempdeskAccess



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
tempdeskid	char(20)	NOT NULL		
staffid	char(20)	NOT NULL		

Primary Key

- tempdeskid, staffid

Foreign Keys

Constraint	Columns	References	Delete/update action
tempdesk	tempdeskid	pears.tempdesk (tempdeskid)	NOT NULL; ON DELETE CASCADE
staff	staffid	pears.staff (staffid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempdeskAccess"
-- Table comment:
-- Statement count: 3

CREATE TABLE "pears"."TempdeskAccess" (
    "tempdeskid"          CHAR(20) NOT NULL
  ,"staffid"             CHAR(20) NOT NULL
  ,PRIMARY KEY ("tempdeskid" ASC,"staffid" ASC)
)
GO

ALTER TABLE "pears"."TempdeskAccess"
    ADD NOT NULL FOREIGN KEY "tempdesk" ("tempdeskid" ASC)
    REFERENCES "pears"."tempdesk" ("tempdeskid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TempdeskAccess"
    ADD NOT NULL FOREIGN KEY "staff" ("staffid" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE CASCADE
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempdeskaccess

Last update: **2026/08/07 19:24**

