



pears.TempJobRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Contains the pay & charge rates for individual vacancies and placements. This is the source of the rates used when a timesheet is created. First any rates for the Placement itself are looked for. If not found then the Vacancy is checked.

Columns

Column	Type	Null	Default	Comment
TempJobRateID	char(20)	NOT NULL		
VacancyID	char(20)	NULL		
TempPayBandID	char(20)	NOT NULL		
PayRate	double	NULL		
ChargeRate	double	NULL		
PlacementID	char(20)	NULL		
StartDate	date	NULL		
EndDate	date	NULL		
Grade	char(4)	NULL		
Filter1	char(4)	NULL		
Filter2	char(4)	NULL		
Filter3	char(4)	NULL		
ExtraRate1	double	NULL		
ExtraRate2	double	NULL		
ExtraRate3	double	NULL		
ExtraRate4	double	NULL		

Primary Key

- TempJobRateID



Foreign Keys

Constraint	Columns	References	Delete/update action
vacancy	VacancyID	pears.vacancy (vacancyid)	ON DELETE CASCADE
TempPayBand	TempPayBandID	pears.TempPayBand (TempPayBandID)	NOT NULL;
placement	PlacementID	pears.Placement (placementid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempJobRate"
-- Table comment: Contains the pay & charge rates for individual vacancies
and placements. This is the source of the rates used when a timesheet is
created. First any rates for the Placement itself are looked for. If not
found then the Vacancy is checked.
-- Statement count: 5
```

```
CREATE TABLE "pears"."TempJobRate" (
  "TempJobRateID" CHAR(20) NOT NULL
, "VacancyID" CHAR(20) NULL
, "TempPayBandID" CHAR(20) NOT NULL
, "PayRate" DOUBLE NULL
, "ChargeRate" DOUBLE NULL
, "PlacementID" CHAR(20) NULL
, "StartDate" DATE NULL
, "EndDate" DATE NULL
, "Grade" CHAR(4) NULL
, "Filter1" CHAR(4) NULL
, "Filter2" CHAR(4) NULL
```



```
, "Filter3" CHAR(4) NULL
, "ExtraRate1" DOUBLE NULL
, "ExtraRate2" DOUBLE NULL
, "ExtraRate3" DOUBLE NULL
, "ExtraRate4" DOUBLE NULL
, PRIMARY KEY ("TempJobRateID" ASC)
)
GO
```

COMMENT ON TABLE "pears"."TempJobRate" IS

'Contains the pay & charge rates for individual vacancies and placements. This is the source of the rates used when a timesheet is created. First any rates for the Placement itself are looked for. If not found then the Vacancy is checked.'

GO

```
ALTER TABLE "pears"."TempJobRate"
  ADD FOREIGN KEY "vacancy" ("VacancyID" ASC)
  REFERENCES "pears"."vacancy" ("vacancyid")
  ON DELETE CASCADE
GO
```

```
ALTER TABLE "pears"."TempJobRate"
  ADD NOT NULL FOREIGN KEY "TempPayBand" ("TempPayBandID" ASC)
  REFERENCES "pears"."TempPayBand" ("TempPayBandID")
GO
```

```
ALTER TABLE "pears"."TempJobRate"
  ADD FOREIGN KEY "placement" ("PlacementID" ASC)
  REFERENCES "pears"."Placement" ("placementid")
  ON DELETE CASCADE
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempjobrate

Last update: 2026/08/07 19:24

