



pears.TempJobRateMaster



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Detail line records with rates for each band for Temp Rate Schemes.

Columns

Column	Type	Null	Default	Comment
TempJobRateMasterID	char(20)	NOT NULL		
TempJobTypeID	char(20)	NOT NULL		
TempPayBandID	char(20)	NOT NULL		
PayRate	double	NULL		
ChargeRate	double	NULL		
StartDate	date	NULL		
EndDate	date	NULL		
TimeFrom	time	NULL		For use by rate scripts
TimeTo	time	NULL		For use by rate scripts
Grade	char(4)	NULL		
Filter1	char(4)	NULL		
Filter2	char(4)	NULL		
Filter3	char(4)	NULL		
ExtraRate1	double	NULL		
ExtraRate2	double	NULL		
ExtraRate3	double	NULL		
MinimumMargin	double	NULL		
MaximumMargin	double	NULL		

Primary Key

- TempJobRateMasterID



Foreign Keys

Constraint	Columns	References	Delete/update action
TempJobType	TempJobTypeID	pears.TempJobType (TempJobTypeID)	NOT NULL; ON DELETE CASCADE
TempPayBand	TempPayBandID	pears.TempPayBand (TempPayBandID)	NOT NULL;

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempJobRateMaster"
-- Table comment: Detail line records with rates for each band for Temp Rate Schemes.
-- Statement count: 6
```

```
CREATE TABLE "pears"."TempJobRateMaster" (
  "TempJobRateMasterID"      CHAR(20) NOT NULL
, "TempJobTypeID"            CHAR(20) NOT NULL
, "TempPayBandID"            CHAR(20) NOT NULL
, "PayRate"                  DOUBLE NULL
, "ChargeRate"               DOUBLE NULL
, "StartDate"                DATE NULL
, "EndDate"                  DATE NULL
, "TimeFrom"                 TIME NULL
, "TimeTo"                   TIME NULL
, "Grade"                    CHAR(4) NULL
, "Filter1"                   CHAR(4) NULL
, "Filter2"                   CHAR(4) NULL
, "Filter3"                   CHAR(4) NULL
```



```
, "ExtraRate1"          DOUBLE NULL
, "ExtraRate2"          DOUBLE NULL
, "ExtraRate3"          DOUBLE NULL
, "MinimumMargin"       DOUBLE NULL
, "MaximumMargin"       DOUBLE NULL
, PRIMARY KEY ("TempJobRateMasterID" ASC)
)
GO

COMMENT ON COLUMN "pears"."TempJobRateMaster"."TimeFrom" IS
    'For use by rate scripts'
GO

COMMENT ON COLUMN "pears"."TempJobRateMaster"."TimeTo" IS
    'For use by rate scripts'
GO

COMMENT ON TABLE "pears"."TempJobRateMaster" IS
    'Detail line records with rates for each band for Temp Rate Schemes.'
GO

ALTER TABLE "pears"."TempJobRateMaster"
    ADD NOT NULL FOREIGN KEY "TempJobType" ("TempJobTypeID" ASC)
    REFERENCES "pears"."TempJobType" ("TempJobTypeID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TempJobRateMaster"
    ADD NOT NULL FOREIGN KEY "TempPayBand" ("TempPayBandID" ASC)
    REFERENCES "pears"."TempPayBand" ("TempPayBandID")
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempjobratemaster

Last update: **2026/08/07 19:24**

