



pears.templatestore



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Word document template details. Actual templates are in the BlobStore with Class 'T'.

Columns

Column	Type	Null	Default	Comment
templateid	char(20)	NOT NULL		
description	char(50)	NULL		
templatetype	char(1)	NULL		
agencyid	char(20)	NULL		
sortorder	smallint	NULL		
esign	tinyint	NULL	0	
FormFields	tinyint	NULL	0	Uses form fields, not document variables
Defunct	tinyint	NULL	0	

Primary Key

- templateid

Foreign Keys

Constraint	Columns	References	Delete/update action
agencydetails	agencyid	pears.agencydetails (agencyid)	ON DELETE SET NULL

Referenced By

Table	Constraint	Columns	Referenced columns
pears.templatestoredivision	templatestore	templateid	templateid
pears.templatestorestaff	templatestore	templateid	templateid



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."templatestore"
-- Table comment: Word document template details. Actual templates are in
the BlobStore with Class 'T'.
-- Statement count: 4

CREATE TABLE "pears"."templatestore" (
    "templateid"          CHAR(20) NOT NULL
    , "description"        CHAR(50) NULL
    , "templatetype"       CHAR(1) NULL
    , "agencyid"           CHAR(20) NULL
    , "sortorder"          SMALLINT NULL
    , "esign"              tinyint NULL DEFAULT 0
    , "FormFields"         tinyint NULL DEFAULT 0
    , "Defunct"            tinyint NULL DEFAULT 0
    , PRIMARY KEY ("templateid" ASC)
)
GO

COMMENT ON COLUMN "pears"."templatestore"."FormFields" IS
    'Uses form fields, not document variables'
GO

COMMENT ON TABLE "pears"."templatestore" IS
    'Word document template details. Actual templates are in the BlobStore
with Class ''T''.'
GO

ALTER TABLE "pears"."templatestore"
    ADD FOREIGN KEY "agencydetails" ("agencyid" ASC)
```



```
REFERENCES "pears"."agencydetails" ("agencyid")  
ON DELETE SET NULL
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_templatestore

Last update: **2026/08/07 19:24**

