



pears.templatestoredivision



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Allows template store to be limited by division

Columns

Column	Type	Null	Default	Comment
templateid	char(20)	NOT NULL		
divisionid	char(20)	NOT NULL		

Primary Key

- templateid, divisionid

Foreign Keys

Constraint	Columns	References	Delete/update action
templatestore	templateid	pears.templatestore (templateid)	NOT NULL; ON DELETE CASCADE
division	divisionid	pears.Division (divisionid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."templatestoredivision"
-- Table comment: Allows template store to be limited by division
-- Statement count: 4
```

```
CREATE TABLE "pears"."templatestoredivision" (
    "templateid"          CHAR(20) NOT NULL
    ,"divisionid"         CHAR(20) NOT NULL
    ,PRIMARY KEY ("templateid" ASC,"divisionid" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."templatestoredivision" IS
    'Allows template store to be limited by division'
GO
```

```
ALTER TABLE "pears"."templatestoredivision"
    ADD NOT NULL FOREIGN KEY "templatestore" ("templateid" ASC)
    REFERENCES "pears"."templatestore" ("templateid")
    ON DELETE CASCADE
GO
```

```
ALTER TABLE "pears"."templatestoredivision"
    ADD NOT NULL FOREIGN KEY "division" ("divisionid" ASC)
    REFERENCES "pears"."Division" ("divisionid")
    ON DELETE CASCADE
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_templatestoredivision

Last update: 2026/08/07 19:24



