



pears.TempMatchShift



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Temporary table used in skill / availability matching

Columns

Column	Type	Null	Default	Comment
TempMatchShiftID	char(20)	NOT NULL		
VacancyID	char(20)	NOT NULL		
TempShiftID	char(20)	NOT NULL		

Primary Key

- TempMatchShiftID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempMatchShift"
-- Table comment: Temporary table used in skill / availability matching
-- Statement count: 2
```

```
CREATE GLOBAL TEMPORARY TABLE "pears"."TempMatchShift" (
    "TempMatchShiftID"          CHAR(20) NOT NULL
    , "VacancyID"                CHAR(20) NOT NULL
    , "TempShiftID"              CHAR(20) NOT NULL
    , PRIMARY KEY ("TempMatchShiftID" ASC)
) NOT TRANSACTIONAL
GO

COMMENT ON TABLE "pears"."TempMatchShift" IS
    'Temporary table used in skill / availability matching'
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempmatchshift

Last update: 2026/08/07 19:24

