pears.TempProvTimeSheetLine

Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Detail lines for Provisional timesheets.

Columns

Column	Type	Null	Default	Comment
TempProvTimeSheetLineID	char(20)	NOT NULL		
TempProvTimeSheetID	char(20)	NOT NULL		
TempPayBandID	char(20)	NOT NULL		
LineNumber	smallint	NULL		
UnitsPaid	double	NULL		
UnitsCharged	double	NULL		
PayRate	double	NULL		
ChargeRate	double	NULL		
Description	long varchar	NULL		
TempShiftID	char(20)	NULL		
ShiftTime	timestamp	NULL		Where timesheets are itemised by shift or part of shift
Grade	char(4)	NULL		
StartDate	date	NULL		For looking up the master rate for comparison display
EndDate	date	NULL		For looking up the master rate for comparison display
Filter1	char(4)	NULL		
Filter2	char(4)	NULL		
Filter3	char(4)	NULL		

Primary Key

- TempProvTimeSheetLineID

Foreign Keys

Constraint	Columns	References	Delete/update action
TempProvTimeSheet	TempProvTimeSheetID	pears.TempProvTimeSheet (TempProvTimeSheetID)	NOT NULL;
TempPayBand	TempPayBandID	pears.TempPayBand (TempPayBandID)	NOT NULL;
TempShift	TempShiftID	pears.TempShift (TempShiftID)	ON DELETE SET NULL

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempProvTimeSheetLine"
-- Table comment: Detail lines for Provisional timesheets.
-- Statement count: 8

CREATE TABLE "pears"."TempProvTimeSheetLine" (
    "TempProvTimeSheetLineID"        CHAR(20) NOT NULL
   ,"TempProvTimeSheetID"            CHAR(20) NOT NULL
   ,"TempPayBandID"                  CHAR(20) NOT NULL
   ,"LineNumber"                     SMALLINT NULL
   ,"UnitsPaid"                      DOUBLE NULL
   ,"UnitsCharged"                   DOUBLE NULL
   ,"PayRate"                        DOUBLE NULL
   ,"ChargeRate"                     DOUBLE NULL
   ,"Description"                    long VARCHAR NULL
   ,"TempShiftID"                    CHAR(20) NULL
```

```
    ,"ShiftTime"                        TIMESTAMP NULL
    ,"Grade"                            CHAR(4) NULL
    ,"StartDate"                        DATE NULL
    ,"EndDate"                          DATE NULL
    ,"Filter1"                          CHAR(4) NULL
    ,"Filter2"                          CHAR(4) NULL
    ,"Filter3"                          CHAR(4) NULL
    ,PRIMARY KEY ("TempProvTimeSheetLineID" ASC)
)
GO


COMMENT ON COLUMN "pears"."TempProvTimeSheetLine"."ShiftTime" IS
    'Where timesheets are itemised by shift or part of shift'
GO


COMMENT ON COLUMN "pears"."TempProvTimeSheetLine"."StartDate" IS
    'For looking up the master rate for comparison display'
GO


COMMENT ON COLUMN "pears"."TempProvTimeSheetLine"."EndDate" IS
    'For looking up the master rate for comparison display'
GO


COMMENT ON TABLE "pears"."TempProvTimeSheetLine" IS
    'Detail lines for Provisional timesheets.'
GO


ALTER TABLE "pears"."TempProvTimeSheetLine"
    ADD NOT NULL FOREIGN KEY "TempProvTimeSheet" ("TempProvTimeSheetID" ASC)
    REFERENCES "pears"."TempProvTimeSheet" ("TempProvTimeSheetID")
GO


ALTER TABLE "pears"."TempProvTimeSheetLine"
    ADD NOT NULL FOREIGN KEY "TempPayBand" ("TempPayBandID" ASC)
    REFERENCES "pears"."TempPayBand" ("TempPayBandID")
GO


ALTER TABLE "pears"."TempProvTimeSheetLine"
    ADD FOREIGN KEY "TempShift" ("TempShiftID" ASC)
    REFERENCES "pears"."TempShift" ("TempShiftID")
    ON DELETE SET NULL
```

GO

From:
https://iqxusers.co.uk/iqxhelp/ - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempprovtimesheetline

Last update: **2026/08/07 19:24**