



pears.TempProvTimeSheetShift



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links Shift records to a Provisional Timesheet

Columns

Column	Type	Null	Default	Comment
TempProvTimeSheetID	char(20)	NOT NULL		
TempShiftID	char(20)	NOT NULL		

Primary Key

- TempProvTimeSheetID, TempShiftID

Foreign Keys

Constraint	Columns	References	Delete/update action
TempProvTimeSheet	TempProvTimeSheetID	pears.TempProvTimeSheet (TempProvTimeSheetID)	NOT NULL; ON DELETE CASCADE
TempShift	TempShiftID	pears.TempShift (TempShiftID)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempProvTimeSheetShift"
-- Table comment: Links Shift records to a Provisional Timesheet
-- Statement count: 4

CREATE TABLE "pears"."TempProvTimeSheetShift" (
    "TempProvTimeSheetID"          CHAR(20) NOT NULL
    , "TempShiftID"                CHAR(20) NOT NULL
    , PRIMARY KEY ("TempProvTimeSheetID" ASC, "TempShiftID" ASC)
)
GO

COMMENT ON TABLE "pears"."TempProvTimeSheetShift" IS
    'Links Shift records to a Provisional Timesheet'
GO

ALTER TABLE "pears"."TempProvTimeSheetShift"
    ADD NOT NULL FOREIGN KEY "TempProvTimeSheet" ("TempProvTimeSheetID" ASC)
    REFERENCES "pears"."TempProvTimeSheet" ("TempProvTimeSheetID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TempProvTimeSheetShift"
    ADD NOT NULL FOREIGN KEY "TempShift" ("TempShiftID" ASC)
    REFERENCES "pears"."TempShift" ("TempShiftID")
    ON DELETE CASCADE
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempprovtimesheetshift

Last update: 2026/08/07 19:24



