



pears.TempRateMarginAudit



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
TempRateMarginAuditID	char(20)	NOT NULL		
PlacementID	char(20)	NOT NULL		
TempPayBandID	char(20)	NOT NULL		
StaffID	char(20)	NOT NULL		
PayRate	double	NULL		
ChargeRate	double	NULL		
MinimumMargin	double	NULL		
MaximumMargin	double	NULL		
WhenEntered	timestamp	NULL	current timestamp	

Primary Key

- TempRateMarginAuditID

Foreign Keys

Constraint	Columns	References	Delete/update action
placement	PlacementID	pears.Placement (placementid)	NOT NULL; ON DELETE CASCADE
TempPayBand	TempPayBandID	pears.TempPayBand (TempPayBandID)	NOT NULL; ON DELETE CASCADE
staff	StaffID	pears.staff (staffid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
TempRateMarginAuditWhen	Index	WhenEntered	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempRateMarginAudit"
-- Table comment:
-- Statement count: 5

CREATE TABLE "pears"."TempRateMarginAudit" (
    "TempRateMarginAuditID"          CHAR(20) NOT NULL
    , "PlacementID"                   CHAR(20) NOT NULL
    , "TempPayBandID"                 CHAR(20) NOT NULL
    , "StaffID"                       CHAR(20) NOT NULL
    , "PayRate"                       DOUBLE NULL
    , "ChargeRate"                    DOUBLE NULL
    , "MinimumMargin"                 DOUBLE NULL
    , "MaximumMargin"                 DOUBLE NULL
    , "WhenEntered"                   TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
    , PRIMARY KEY ("TempRateMarginAuditID" ASC)
)
GO

ALTER TABLE "pears"."TempRateMarginAudit"
    ADD NOT NULL FOREIGN KEY "placement" ("PlacementID" ASC)
    REFERENCES "pears"."Placement" ("placementid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TempRateMarginAudit"
    ADD NOT NULL FOREIGN KEY "TempPayBand" ("TempPayBandID" ASC)
    REFERENCES "pears"."TempPayBand" ("TempPayBandID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TempRateMarginAudit"
    ADD NOT NULL FOREIGN KEY "staff" ("StaffID" ASC)
    REFERENCES "pears"."staff" ("staffid")
```



```
ON DELETE CASCADE  
GO
```

```
CREATE INDEX "TempRateMarginAuditWhen" ON "pears"."TempRateMarginAudit"  
  ( "WhenEntered" )  
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempratemarginaudit

Last update: **2026/08/07 19:24**

