



pears.TempRateScript



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Contains the code of each Rate Script - used to process shifts into rates.

Columns

Column	Type	Null	Default	Comment
TempRateScriptID	char(20)	NOT NULL		
Description	char(50)	NOT NULL		
Script	long varchar	NULL		

Primary Key

- TempRateScriptID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.TempJobType	TempRateScript	TempRateScriptID	TempRateScriptID

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempRateScript"
-- Table comment: Contains the code of each Rate Script - used to process
shifts into rates.
-- Statement count: 2

CREATE TABLE "pears"."TempRateScript" (
    "TempRateScriptID"          CHAR(20) NOT NULL
    , "Description"              CHAR(50) NOT NULL
    , "Script"                   long VARCHAR NULL
    , PRIMARY KEY ("TempRateScriptID" ASC)
)
GO

COMMENT ON TABLE "pears"."TempRateScript" IS
    'Contains the code of each Rate Script - used to process shifts into
rates.'
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempratescript

Last update: 2026/08/07 19:24

