



# pears.TempShiftAdd



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Description

When shifts are added they are temporary placed here and then when they are finished they are moved back.

## Columns

| Column                   | Type      | Null     | Default | Comment                                                               |                                |
|--------------------------|-----------|----------|---------|-----------------------------------------------------------------------|--------------------------------|
| <b>TempShiftAddID</b>    | char(20)  | NOT NULL |         |                                                                       |                                |
| CompanyID                | char(20)  | NULL     |         |                                                                       |                                |
| VacancyID                | char(20)  | NULL     |         |                                                                       |                                |
| TempShiftTemplateID      | char(20)  | NULL     |         |                                                                       |                                |
| EssentialSkill           | char(15)  | NULL     |         | P                                                                     | A;TagID;TagChoiceID;GradeTagID |
| EssentialSkillGradeID    | char(4)   | NULL     |         |                                                                       |                                |
| EssentialSkillChoiceList | char(100) | NULL     |         |                                                                       |                                |
| Description              | char(50)  | NULL     |         |                                                                       |                                |
| TimeFrom                 | time      | NULL     |         |                                                                       |                                |
| TimeTo                   | time      | NULL     |         |                                                                       |                                |
| BreakMinutes             | smallint  | NULL     |         |                                                                       |                                |
| ShiftDate                | date      | NULL     |         |                                                                       |                                |
| ReferenceRequired        | char(1)   | NULL     |         | on <E>ntry, <C>onfirmation, <T>imesheet entry. Blank for not required |                                |
| ClientMustConfirm        | smallint  | NULL     | 0       |                                                                       |                                |
| TempMustConfirm          | smallint  | NULL     | 0       |                                                                       |                                |
| ReferenceCode            | char(20)  | NULL     |         |                                                                       |                                |
| OrderedBy                | char(50)  | NULL     |         |                                                                       |                                |
| TempShiftTypeID          | char(2)   | NULL     |         |                                                                       |                                |
| AnalysisCode             | char(20)  | NULL     |         |                                                                       |                                |
| Moveable                 | smallint  | NULL     | 0       |                                                                       |                                |



| Column                 | Type      | Null | Default | Comment                                   |  |
|------------------------|-----------|------|---------|-------------------------------------------|--|
| Minutes                | smallint  | NULL |         | Fill if shorter spell within the timespan |  |
| ManualCascadeDateTime  | smallint  | NULL |         |                                           |  |
| CascadeDateTime        | timestamp | NULL |         |                                           |  |
| ShiftCount             | smallint  | NULL | 1       |                                           |  |
| RecoveryHours          | smallint  | NULL | 0       |                                           |  |
| TempShiftOrderReasonID | char(20)  | NULL |         |                                           |  |
| ClientNote             | char(50)  | NULL |         |                                           |  |

## Primary Key

- TempShiftAddID

## Foreign Keys

- No outgoing foreign keys found.

## Referenced By

- No incoming foreign keys found.

## Indexes

- No indexes found.

## Triggers

- No triggers found.

## Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempShiftAdd"
-- Table comment: When shifts are added they are temporary placed here and
-- then when they are finished they are moved back.
-- Statement count: 5
```



```
CREATE GLOBAL TEMPORARY TABLE "pears"."TempShiftAdd" (  
    "TempShiftAddID"          CHAR(20) NOT NULL  
    , "CompanyID"             CHAR(20) NULL  
    , "VacancyID"             CHAR(20) NULL  
    , "TempShiftTemplateID"    CHAR(20) NULL  
    , "EssentialSkill"        CHAR(15) NULL  
    , "EssentialSkillGradeID"  CHAR(4) NULL  
    , "EssentialSkillChoiceList" CHAR(100) NULL  
    , "Description"           CHAR(50) NULL  
    , "TimeFrom"              TIME NULL  
    , "TimeTo"                TIME NULL  
    , "BreakMinutes"          SMALLINT NULL  
    , "ShiftDate"             DATE NULL  
    , "ReferenceRequired"      CHAR(1) NULL  
    , "ClientMustConfirm"      SMALLINT NULL DEFAULT 0  
    , "TempMustConfirm"        SMALLINT NULL DEFAULT 0  
    , "ReferenceCode"          CHAR(20) NULL  
    , "OrderedBy"              CHAR(50) NULL  
    , "TempShiftTypeID"        CHAR(2) NULL  
    , "AnalysisCode"           CHAR(20) NULL  
    , "Moveable"               SMALLINT NULL DEFAULT 0  
    , "Minutes"                SMALLINT NULL  
    , "ManualCascadeDateTime"  SMALLINT NULL  
    , "CascadeDateTime"        TIMESTAMP NULL  
    , "ShiftCount"             SMALLINT NULL DEFAULT 1  
    , "RecoveryHours"          SMALLINT NULL DEFAULT 0  
    , "TempShiftOrderReasonID" CHAR(20) NULL  
    , "ClientNote"             CHAR(50) NULL  
    , PRIMARY KEY ("TempShiftAddID" ASC)  
) ON COMMIT PRESERVE ROWS  
GO  
  
COMMENT ON COLUMN "pears"."TempShiftAdd"."EssentialSkill" IS  
    'P|A;TagID;TagChoiceID;GradeTagID'  
GO  
  
COMMENT ON COLUMN "pears"."TempShiftAdd"."ReferenceRequired" IS  
    'on <E>ntry, <C>onfirmation, <T>imesheet entry. Blank for not required'  
GO  
  
COMMENT ON COLUMN "pears"."TempShiftAdd"."Minutes" IS  
    'Fill if shorter spell within the timespan'  
GO
```



COMMENT ON TABLE "pears"."TempShiftAdd" IS

'When shifts are added they are temporary placed here and then when they are finished they are moved back.'

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears\\_tempshiftadd](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempshiftadd)

Last update: **2026/08/07 19:24**

