



pears.TempShiftOrderReason



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

User defined reasons for why shift is requested.

Columns

Column	Type	Null	Default	Comment
TempShiftOrderReasonID	char(20)	NOT NULL		
Description	char(50)	NOT NULL		
SortOrder	smallint	NULL		

Primary Key

- TempShiftOrderReasonID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.TempShiftOrderReasonDepartment	TempShiftOrderReason	TempShiftOrderReasonID	TempShiftOrderReasonID
pears.TempShiftPlan	TempShiftOrderReason	TempShiftOrderReasonID	TempShiftOrderReasonID

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempShiftOrderReason"
-- Table comment: User defined reasons for why shift is requested.
-- Statement count: 2

CREATE TABLE "pears"."TempShiftOrderReason" (
    "TempShiftOrderReasonID"      CHAR(20) NOT NULL
, "Description"                  CHAR(50) NOT NULL
, "SortOrder"                    SMALLINT NULL
, PRIMARY KEY ("TempShiftOrderReasonID" ASC)
)
GO

COMMENT ON TABLE "pears"."TempShiftOrderReason" IS
    'User defined reasons for why shift is requested.'
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempshiftorderreason

Last update: **2026/08/07 19:24**

