



pears.TempShiftOrderReasonDepartment



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Link between Departments and Shift Order Reasons. Reasons with no record are available to all Departments.

Columns

Column	Type	Null	Default	Comment
TempShiftOrderReasonDepartmentID	char(20)	NOT NULL		
TempShiftOrderReasonID	char(20)	NULL		
DepartmentID	char(2)	NULL		

Primary Key

- TempShiftOrderReasonDepartmentID

Foreign Keys

Constraint	Columns	References	Delete/update action
TempShiftOrderReason	TempShiftOrderReasonID	pears.TempShiftOrderReason (TempShiftOrderReasonID)	ON DELETE SET NULL
department	DepartmentID	pears.Department (departmentid)	ON DELETE SET NULL

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TempShiftOrderReasonDepartment"
-- Table comment: Link between Departments and Shift Order Reasons. Reasons
with no record are available to all Departments.
-- Statement count: 4
```

```
CREATE TABLE "pears"."TempShiftOrderReasonDepartment" (
    "TempShiftOrderReasonDepartmentID" CHAR(20) NOT NULL
    , "TempShiftOrderReasonID" CHAR(20) NULL
    , "DepartmentID" CHAR(2) NULL
    , PRIMARY KEY ("TempShiftOrderReasonDepartmentID" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."TempShiftOrderReasonDepartment" IS
    'Link between Departments and Shift Order Reasons. Reasons with no
record are available to all Departments.'
GO
```

```
ALTER TABLE "pears"."TempShiftOrderReasonDepartment"
    ADD FOREIGN KEY "TempShiftOrderReason" ("TempShiftOrderReasonID" ASC)
    REFERENCES "pears"."TempShiftOrderReason" ("TempShiftOrderReasonID")
    ON DELETE SET NULL
GO
```

```
ALTER TABLE "pears"."TempShiftOrderReasonDepartment"
    ADD FOREIGN KEY "department" ("DepartmentID" ASC)
    REFERENCES "pears"."Department" ("departmentid")
    ON DELETE SET NULL
```



GO

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tempshiftorderreasondepartment

Last update: **2026/08/07 19:24**

