



pears.TimesheetApprovalLink



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
TimesheetApprovalLinkID	char(20)	NOT NULL		
tempprovtimesheetid	char(20)	NULL		
URLRequestCode	char(255)	NOT NULL		
EmailAddress	long varchar	NULL		
WhenCreated	timestamp	NOT NULL	current timestamp	
WhenSent	timestamp	NULL		
WhenCompleted	timestamp	NULL		
SignOnDevice	tinyint	NOT NULL	0	
EmailRequested	tinyint	NOT NULL	0	
EmailSent	timestamp	NULL		

Primary Key

- TimesheetApprovalLinkID

Foreign Keys

Constraint	Columns	References	Delete/update action
TempProvTimeSheet	tempprovtimesheetid	pears.TempProvTimeSheet (TempProvTimeSheetID)	ON DELETE SET NULL

Referenced By

Table	Constraint	Columns	Referenced columns
pears.TimesheetSignature	TimesheetApprovalLink	TimesheetApprovalLinkID	TimesheetApprovalLinkID

Indexes

Name	Type	Columns	Detail
URLRequestCodeProvID	Index	tempprovtimesheetid, URLRequestCode	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TimesheetApprovalLink"
-- Table comment:
-- Statement count: 3

CREATE TABLE "pears"."TimesheetApprovalLink" (
    "TimesheetApprovalLinkID"      CHAR(20) NOT NULL
    , "tempprovtimesheetid"          CHAR(20) NULL
    , "URLRequestCode"              CHAR(255) NOT NULL
    , "EmailAddress"                long VARCHAR NULL
    , "WhenCreated"                 TIMESTAMP NOT NULL DEFAULT CURRENT
TIMESTAMP
    , "WhenSent"                    TIMESTAMP NULL
    , "WhenCompleted"               TIMESTAMP NULL
    , "SignOnDevice"                tinyint NOT NULL DEFAULT 0
    , "EmailRequested"              tinyint NOT NULL DEFAULT 0
    , "EmailSent"                   TIMESTAMP NULL
    , PRIMARY KEY ("TimesheetApprovalLinkID" ASC)
)
GO

ALTER TABLE "pears"."TimesheetApprovalLink"
    ADD FOREIGN KEY "TempProvTimeSheet" ("tempprovtimesheetid" ASC)
    REFERENCES "pears"."TempProvTimeSheet" ("TempProvTimeSheetID")
    ON DELETE SET NULL
GO

CREATE INDEX "URLRequestCodeProvID" ON "pears"."TimesheetApprovalLink"
    ( "tempprovtimesheetid", "URLRequestCode" )
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_timesheetapprovallink

Last update: **2026/08/07 19:24**

