



pears.TimesheetSignature



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
TimesheetSignatureID	char(20)	NOT NULL		
SignatureType	char(25)	NOT NULL		Candidate, Client or ClientSup
WhenSigned	timestamp	NOT NULL		
WhoSigned	char(250)	NOT NULL		Free text
SignerPosition	char(250)	NULL		Optional job title
Notes	long varchar	NULL		Name Value pairs?
StaffID	char(20)	NOT NULL		
WhenCreated	timestamp	NOT NULL	current timestamp	
GeoLocation	ST_Geometry	NULL		
TempTimesheetID	char(20)	NULL		
TempProvTimeSheetID	char(20)	NULL		
TimesheetApprovalLinkID	char(20)	NULL		
SignerEmail	char(255)	NULL		
LocationName	char(255)	NULL		
Serial	char(20)	NULL		

Primary Key

- TimesheetSignatureID

Foreign Keys

Constraint	Columns	References	Delete/update action
temptimesheet	TempTimesheetID	pears.TempTimeSheet (TempTimeSheetID)	ON DELETE CASCADE
TempProvTimeSheet	TempProvTimeSheetID	pears.TempProvTimeSheet (TempProvTimeSheetID)	ON DELETE SET NULL
TimesheetApprovalLink	TimesheetApprovalLinkID	pears.TimesheetApprovalLink (TimesheetApprovalLinkID)	ON DELETE SET NULL



Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TimesheetSignature"
-- Table comment:
-- Statement count: 8

CREATE TABLE "pears"."TimesheetSignature" (
  "TimesheetSignatureID"      CHAR(20) NOT NULL
, "SignatureType"             CHAR(25) NOT NULL
, "WhenSigned"                TIMESTAMP NOT NULL
, "WhoSigned"                 CHAR(250) NOT NULL
, "SignerPosition"            CHAR(250) NULL
, "Notes"                     long VARCHAR NULL
, "StaffID"                   CHAR(20) NOT NULL
, "WhenCreated"               TIMESTAMP NOT NULL DEFAULT CURRENT
TIMESTAMP
, "GeoLocation"                ST_Geometry NULL
, "TemptimesheetID"            CHAR(20) NULL
, "TempProvTimeSheetID"        CHAR(20) NULL
, "TimesheetApprovalLinkID"    CHAR(20) NULL
, "SignerEmail"                CHAR(255) NULL
, "LocationName"               CHAR(255) NULL
, "Serial"                     CHAR(20) NULL
, PRIMARY KEY ("TimesheetSignatureID" ASC)
)
GO
```



```
COMMENT ON COLUMN "pears"."TimesheetSignature"."SignatureType" IS
    'Candidate, Client or ClientSup'
GO

COMMENT ON COLUMN "pears"."TimesheetSignature"."WhoSigned" IS
    'Free text'
GO

COMMENT ON COLUMN "pears"."TimesheetSignature"."SignerPosition" IS
    'Optional job title'
GO

COMMENT ON COLUMN "pears"."TimesheetSignature"."Notes" IS
    'Name Value pairs?'
GO

ALTER TABLE "pears"."TimesheetSignature"
    ADD FOREIGN KEY "temptimesheet" ("TemptimesheetID" ASC)
    REFERENCES "pears"."TempTimeSheet" ("TempTimeSheetID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TimesheetSignature"
    ADD FOREIGN KEY "TempProvTimeSheet" ("TempProvTimeSheetID" ASC)
    REFERENCES "pears"."TempProvTimeSheet" ("TempProvTimeSheetID")
    ON DELETE SET NULL
GO

ALTER TABLE "pears"."TimesheetSignature"
    ADD FOREIGN KEY "TimesheetApprovalLink" ("TimesheetApprovalLinkID" ASC)
    REFERENCES "pears"."TimesheetApprovalLink" ("TimesheetApprovalLinkID")
    ON DELETE SET NULL
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_timesheetsignature

Last update: **2026/08/07 19:24**



