



pears.Trengo



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
TrengolD	integer	NOT NULL		
Description	char(100)	NULL		
StaffID	char(20)	NULL		

Primary Key

- TrengolD

Foreign Keys

Constraint	Columns	References	Delete/update action
Staff	StaffID	pears.staff (staffid)	ON DELETE SET NULL

Referenced By

Table	Constraint	Columns	Referenced columns
pears.TrengoParameters	Trengo	TrengolD	TrengolD
pears.TrengoSent	Trengo	TrengolD	TrengolD

Indexes

- No indexes found.

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."Trengo"
-- Table comment:
-- Statement count: 2

CREATE TABLE "pears"."Trengo" (
    "TrengoID"                INTEGER NOT NULL
    ,"Description"            CHAR(100) NULL
    ,"StaffID"                CHAR(20) NULL
    ,PRIMARY KEY ("TrengoID" ASC)
)
GO

ALTER TABLE "pears"."Trengo"
    ADD FOREIGN KEY "Staff" ("StaffID" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE SET NULL
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_trengo

Last update: **2026/08/07 19:24**

