



pears.TrengoSent



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
TrengoSentID	char(20)	NOT NULL		
TrengoID	integer	NULL		
WhoSent	char(20)	NULL		
Personid	char(20)	NULL		
WhenSent	timestamp	NULL		

Primary Key

- TrengoSentID

Foreign Keys

Constraint	Columns	References	Delete/update action
Trengo	TrengoID	pears.Trengo (TrengoID)	ON DELETE CASCADE
Staff	WhoSent	pears.staff (staffid)	ON DELETE SET NULL
Person	Personid	pears.Person (personid)	ON DELETE SET NULL

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TrengoSent"
-- Table comment:
-- Statement count: 4

CREATE TABLE "pears"."TrengoSent" (
    "TrengoSentID"          CHAR(20) NOT NULL
    ,"TrengoID"              INTEGER NULL
    ,"WhoSent"               CHAR(20) NULL
    ,"Personid"              CHAR(20) NULL
    ,"WhenSent"              TIMESTAMP NULL
    ,PRIMARY KEY ("TrengoSentID" ASC)
)
GO

ALTER TABLE "pears"."TrengoSent"
    ADD FOREIGN KEY "Trengo" ("TrengoID" ASC)
    REFERENCES "pears"."Trengo" ("TrengoID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."TrengoSent"
    ADD FOREIGN KEY "Staff" ("WhoSent" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE SET NULL
GO

ALTER TABLE "pears"."TrengoSent"
    ADD FOREIGN KEY "Person" ("Personid" ASC)
    REFERENCES "pears"."Person" ("personid")
    ON DELETE SET NULL
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_trengosent

Last update: **2026/08/07 19:24**



