



pears.TSQueryReasons



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Lookup of Timesheet Query Reasons

Columns

Column	Type	Null	Default	Comment
ReasonCode	char(5)	NOT NULL		
ReasonName	char(50)	NOT NULL		
SortOrder	smallint	NULL		
TSQueryCode	char(5)	NULL		
DefaultDestination	char(1)	NULL		F=requires front attention=owner front, B=requires back attention=owner back, T=requires TI attention=owner TI
UserType	char(6)	NULL		Cand or Client. Also means Web only
DivisionID	char(20)	NULL		

Primary Key

- ReasonCode

Foreign Keys

Constraint	Columns	References	Delete/update action
Division	DivisionID	pears.Division (divisionid)	ON DELETE SET NULL

Referenced By

Table	Constraint	Columns	Referenced columns
pears.TSQueryLog	TSQueryReasons	ReasonCode	ReasonCode



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TSQueryReasons"
-- Table comment: Lookup of Timesheet Query Reasons
-- Statement count: 5

CREATE TABLE "pears"."TSQueryReasons" (
    "ReasonCode"          CHAR(5) NOT NULL
    , "ReasonName"         CHAR(50) NOT NULL
    , "SortOrder"          SMALLINT NULL
    , "TSQueryCode"        CHAR(5) NULL
    , "DefaultDestination" CHAR(1) NULL
    , "UserType"           CHAR(6) NULL
    , "DivisionID"         CHAR(20) NULL
    , PRIMARY KEY ("ReasonCode" ASC)
)
GO

COMMENT ON COLUMN "pears"."TSQueryReasons"."DefaultDestination" IS
    'F=requires front attention=owner front, B=requires back attention=owner
back, T=requires TI attention=owner TI'
GO

COMMENT ON COLUMN "pears"."TSQueryReasons"."UserType" IS
    'Cand or Client. Also means Web only'
GO

COMMENT ON TABLE "pears"."TSQueryReasons" IS
    'Lookup of Timesheet Query Reasons'
GO
```



```
ALTER TABLE "pears"."TSQueryReasons"  
  ADD FOREIGN KEY "Division" ("DivisionID" ASC)  
  REFERENCES "pears"."Division" ("divisionid")  
  ON DELETE SET NULL  
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_tsqueryreasons

Last update: **2026/08/07 19:24**

