



pears.TTBroadbean



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Temporary table. Used to assemble Vacancy details when posting of Vacancies to Broadbean

Columns

Column	Type	Null	Default	Comment
Instance	char(20)	NOT NULL		
JobTitle	char(65)	NULL		
Industry	char(100)	NULL		
JobType	char(9)	NULL		
VacancyID	char(20)	NULL		
BroadbeanLocationID	integer	NULL		
JobRef	char(20)	NULL		
Duration	char(20)	NULL		
StartDate	char(20)	NULL		
Salary_From	integer	NULL		
Salary_To	integer	NULL		
Salary_per	char(5)	NULL		
Salary_Benefits	char(50)	NULL		
Skills	char(65)	NULL		
Description	char(6000)	NULL		
Continent	integer	NULL		
Region	integer	NULL		
Country	integer	NULL		
Place	integer	NULL		
SubPlace	integer	NULL		
SubSubPlace	integer	NULL		
SubSubSubPlace	integer	NULL		
Office	char(50)	NULL		
consultant	char(50)	NULL		
Team	char(50)	NULL		
createtime	timestamp	NULL		



Column	Type	Null	Default	Comment
summary	char(600)	NULL		
clientdetails	char(100)	NULL		
Profile	char(100)	NULL		
closetime	timestamp	NULL		
JobOffer	char(100)	NULL		
id	char(20)	NULL		
Salary_Currency	char(20)	NULL		
RedirectOnCompletion	char(200)	NULL		

Primary Key

- Instance

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."TTBroadbean"
-- Table comment: Temporary table. Used to assemble Vacancy details when
posting of Vacancies to Broadbean
-- Statement count: 2
```



```
CREATE GLOBAL TEMPORARY TABLE "pears"."TTBroadbean" (  
    "Instance"                CHAR(20) NOT NULL  
    , "JobTitle"               CHAR(65) NULL  
    , "Industry"               CHAR(100) NULL  
    , "JobType"                CHAR(9) NULL  
    , "VacancyID"              CHAR(20) NULL  
    , "BroadbeanLocationID"    INTEGER NULL  
    , "JobRef"                 CHAR(20) NULL  
    , "Duration"               CHAR(20) NULL  
    , "StartDate"              CHAR(20) NULL  
    , "Salary_From"            INTEGER NULL  
    , "Salary_To"              INTEGER NULL  
    , "Salary_per"             CHAR(5) NULL  
    , "Salary_Benefits"        CHAR(50) NULL  
    , "Skills"                  CHAR(65) NULL  
    , "Description"            CHAR(6000) NULL  
    , "Continent"              INTEGER NULL  
    , "Region"                 INTEGER NULL  
    , "Country"                INTEGER NULL  
    , "Place"                   INTEGER NULL  
    , "SubPlace"                INTEGER NULL  
    , "SubSubPlace"            INTEGER NULL  
    , "SubSubSubPlace"         INTEGER NULL  
    , "Office"                  CHAR(50) NULL  
    , "consultant"              CHAR(50) NULL  
    , "Team"                     CHAR(50) NULL  
    , "createtime"              TIMESTAMP NULL  
    , "summary"                 CHAR(600) NULL  
    , "clientdetails"           CHAR(100) NULL  
    , "Profile"                 CHAR(100) NULL  
    , "closetime"               TIMESTAMP NULL  
    , "JobOffer"                CHAR(100) NULL  
    , "id"                       CHAR(20) NULL  
    , "Salary_Currency"         CHAR(20) NULL  
    , "RedirectOnCompletion"     CHAR(200) NULL  
    , PRIMARY KEY ("Instance" ASC)  
) ON COMMIT PRESERVE ROWS  
GO  
  
COMMENT ON TABLE "pears"."TTBroadbean" IS  
    'Temporary table. Used to assemble Vacancy details when posting of  
    Vacancies to Broadbean'  
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_ttbbroadbean

Last update: **2026/08/07 19:24**

