



pears.UnsubscribeToMarketing



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Emails to send to mailchimp to unsubscribe

Columns

Column	Type	Null	Default	Comment
email	char(100)	NOT NULL		

Primary Key

- email

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."UnsubscribeToMarketing"
-- Table comment: Emails to send to mailchimp to unsubscribe
-- Statement count: 2
```

```
CREATE TABLE "pears"."UnsubscribeToMarketing" (
    "email" CHAR(100) NOT NULL
    ,PRIMARY KEY ("email" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."UnsubscribeToMarketing" IS
    'Emails to send to mailchimp to unsubscribe'
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_unsubscribetomarketing

Last update: **2026/08/07 19:24**

